生态系统服务研究思辨

REFLECTIONS ON
ECOSYSTEM SERVICE
RESEARCH

1 生态系统服务研究历程

在生态系统服务的概念提出之前，人们对于生态系统的认知停留于自然科学层面，即通过关系性范式研究生物组分与无机环境之间的关系。生态系统服务是指人类从生态系统中获得的各种惠益，包括有形的生态产品和无形的服务^[1]。这些服务不仅包括森林的固碳功能等正服务，还包括诸如洪水、病虫害等人类被动接受的负服务。事实上，生态系统的服务一直客观存在，只是人们于近年才认识到其对人类福祉的重要性，进而开始对其展开研究，人们对自然生态系统的研究视角也发生了转变，研究深度和广度显著扩大。这既是学科演进的过程，也是人与自然关系进步的表现。

李双成*
北京大学城市与环境学院副院长；中国地理学会自然地理专业委员会副主任

LI Shuangcheng
Deputy Dean of College of Urban and Environmental Sciences, Peking University; Deputy Director of the Committee of Physical Geography, Geographical Society of China

*通讯作者
地址：北京市海淀区北京大学电教楼215室
邮编：100871
邮箱：scli@urban.pku.edu.cn

摘要

本文通过梳理生态系统服务研究的重要节点，系统介绍了其发展过程、现状、热点和趋势。当前研究的热点聚焦于生态系统服务的分类、价值评估、服务簇识别、权衡与协同、流动模拟及其在决策优化过程中的作用等。生态系统服务研究涉及多个学科，涵盖社会－生态系统的方方面面，整合不同学科的优势将有助于在研究中对更多自然与社会因素进行综合考量。此外，对生态系统服务价值的评估不仅能够为规划设计的前期工作提供基础信息和数据，也能为社会、经济和管理等方面的决策提供直观依据，因此我们应当探索多样化的物质量－价值量换算方法。最后，文章强调在生态系统服务级联框架研究与应用不断加强的情况下，景观设计师可以借助自身优势在生态建设中发挥更大的作用。

关键词

生态系统服务；价值评估；级联框架；生态系统服务簇；权衡与协同

ABSTRACT

Through literature review, this article introduces milestones, current situation and focuses, and trends of the ecosystem service research, which concentrates recently on classification, value evaluation, identification of bundles, balance, synergy, and flow simulation of ecosystem services, and their role in decision-making optimization. The research involves several disciplines related to social-ecological interactions, for which the collaboration between different disciplines may facilitate the research by comprehensive considerations on more natural and social factors. In addition, ecosystem service value evaluation provides not only basic information and data for preliminary planning and design, but also a direct evidence for decision-making in social, economic, and management affairs. As a result, more diverse estimation methods should be explored for converting physical amounts into value amounts in ecosystem service value evaluation. Finally, this article proposes that by strengthening research and application of the cascade framework of ecosystem services, landscape architects may play a more important role in ecological construction.

KEY WORDS

Ecosystem Services; Valuation; Cascade Framework; Bundles of Ecosystem Services; Balance and Synergy

编辑 田晓劼 王颖 翻译 萨拉·雅各布斯 史肖杰
EDITED BY TIAN Xiaojie WANG Ying TRANSLATED BY Sara Jacobs SHI Xiaojie

1. 联合国千年生态系统评估计划框架
1. A framework of Millennium Ecosystem Assessment (MA) program

生态系统服务的研究经历了三个重要节点。首先，1997年罗伯特·科斯坦萨在《自然》杂志上发表了一篇影响深远的文章——《全球生态系统服务与自然资本的价值》，核算了全球生态系统的自然资本价值量^[2]。同期，美国学者格雷琴·C·戴利出版了《自然服务：人类社会对自然生态系统的依赖性》^[3]一书。这两项成果的面世极大地推动了生态系统服务的研究，为生态系统服务分类体系的制定和价值量核算方法的使用提供了重要依据。在此之后，全球掀起了核算生态系统服务价值量的热潮。但这期间的研究多使用罗伯特·科斯坦萨、鲁道夫·德·格鲁特和谢高地等提出的单位价值量进行核算，即用价值当量乘以某一类生态系统的面积，从而得出某一类生态系统服务的价值量，最后经过加和计算出整个区域的价值量。这种方法虽然计算简便，但忽视了生态系统服务供给的时空异质性。此外，还有一些学者运用直接市场法、替代市场法和模拟市场法等来计算区域内某一类生态系统的服务价值。整体上，这个阶段可以称为生态系统服务的价值量核算阶段。其次，2001~2005年联合国千年生态系统评估（MA）计划的实施，使得生态系统服务的研究转向了生态系统服务的形成机理、流动、权衡与协同等方面，尤其关注其与人类福祉及区域可持续发展之间的关系（图1）。再者，2012年，一本名为《生态系统服务》的期刊面世，其刊发了大量与生态系统服务相关的研究成果及政策应用；而在细胞出版社新近出版的名为《一个地球》的刊物中，生态系统服务也成为一个重要议题。中国自然科学基金委员会地球科学部的

1 History of Ecosystem Service Research

Before the concept of ecosystem services gained traction, ecosystems were considered only in terms of natural sciences, which study the relationship between biological components and inorganic environment through relational paradigms. Ecosystem services include all the benefits provided by ecosystems for human life, whether material or immaterial^[1], positive (such as carbon sequestration by forests) or negative (such as floods, diseases, and pests). Ecosystems have always produced multiple functions, but it was not until recent years that human beings began to realize their importance and to study on them. With this, the perspective of natural ecosystem research has shifted to considering more fully the relationship between humans and natural environment.

There are three primary milestones in ecosystem service research. In 1997, in his article The Value of World’s Ecosystem Service and Natural Capital on Nature, Robert Costanza estimated the value of natural capital of global ecosystems^[2]. In the same year, Gretchen C. Daily published *Nature’s Services: Societal Dependence on Natural Ecosystems*^[3]. Both works have promoted the ecosystem service research as an essential basis for the formulation of their classification systems and the usage of value estimation methods. These early works set off a wave of value estimation for ecosystem services. Papers published during this period generally focused on monetary calculations derived from Robert Costanza, Rudolf De Groot and Xie Gaodi. This method multiplied the value equivalent by the area of a given ecosystem to obtain the value of a certain kind of ecosystem service and then a total value of all types of ecosystems in the whole area. This approach provided an easy way to estimate ecosystem services, but it neglected the temporal and spatial differences in the supply of these services. Other scholars estimated the value of ecosystem services within a designated area, by employing methods adopted from direct market, substitute market, and simulation market. Generally, research in that period was about value evaluation. The Millennium Ecosystem Assessment (MA) program (Fig. 1) with the United Nations from 2001 to 2005 was another milestone. This program shifted studies towards the formation, flow, balance, and synergy of different ecosystem services, and the relationship between ecosystem services, human welfare, and regional sustainable development. In 2012, the journal *Ecosystem Services* began publications on research findings and politics of ecosystem services and recently, *One Earth* published by Cell Press has featured ecosystem services as a major topic. The study on ecosystem process and services as part of the

重点项目“地表环境变化过程及其效应”也包含对生态系统过程与生态系统服务研究的资助。由此可见，生态系统服务研究在国内外学术领域占据着越来越重要的地位。

当前生态系统服务研究的热点主要集中在三个方面：一是生态系统服务簇，当多种生态系统服务组合在一起时就构成一个簇；二是多重生态系统服务之间的关系，尤其是权衡和协同关系；三是生态系统服务的流动，其不仅包含服务实体的空间流动，如水供给、昆虫传粉等，也包含虚拟的流动，如产品贸易中隐含的多种生态系统服务。

2 生态系统服务研究趋势

生态系统服务的研究对象可通过级联框架^[4]（图2）来展现，框架的左端是生态系统的结构、组分和功能等自然科学方面的内容，生态学家、地理学家等参与其中；框架中间是生态系统服务；框架的右端是生态系统服务因人类的使用而产生的社会福祉，经济学家、管理学家和社会学家等参与其中。由此可见，生态系统服务研究是一个涉及多学科的社会—生态系统。在这一系统中，每个学科都有各自的定位和作用。例如，地理学在生态系统服务研究中具有空间性和综合性特征。MA计划将生态系统服务分为调节服务、供给服务、支持服务和文化服务4类，其中文化服务与社会经济发展密切关联，因而在地理学学科层面可从宏观、区域及空间角度出发，综合考量更多的自然与社会经济等因素，深入探讨“人地关系”及地域系统具象化^[5]。

未来，在生态系统服务级联框架右端，诸如社会、经济和管理等方面的研究会进一步加强，以促进决策的优化。例如，首要发展目标应以生态系统服务指标为约束条件，从而优化区域土地利用结构。此外，尽管生态系统服务的权衡/协同关系分析较为热门，但目前的研究仅局限于两两生态系统服务之间，未来需侧重于多个生态系统服务之

Surface Environmental Change Process and Impacts project is funded by the Earth Science Department of National Natural Science Foundation of China. All these progresses have made ecosystem services increasingly important in both domestic and foreign studies.

Ongoing research hotspots include ecosystem service bundles (formed when several ecosystem services are combined together), the relationship between multiple ecosystem services (especially balance and synergy), and the flow of ecosystem services including physical flows such as water supply and virtual flows such as the services in product trade.

2 Trends of Ecosystem Service Research

A cascade framework represents the objects of ecosystem service research^[4] (Fig. 2). The upper reach of the framework is built on natural sciences including Ecology and Geology with a focus on the structure, components, and functions of ecosystems. The lower reach of this framework is supported by social sciences, such as Economics, Management Sciences, and Sociology, with a focus on the benefits and well-beings brought by ecosystem services. In this framework, ecosystem services become a social-ecological system that covers multiple disciplines. For example, geography contributes to ecosystem service research with spatiality and comprehensiveness. Of the four types of ecosystem services classified by the MA program — regulating services, provisioning services, supporting services, and cultural services — the cultural services link with the social-economic development closely. As a result, in ecosystem service research, we may explore the human-land relationship and the visualization of regional networks from the macro, regional, and spatial perspectives normally applied in Geography, with more natural and social-economic considerations^[5].

In the future, studies on society, economy, and management in the lower reach of the cascade framework are expected to be strengthened to better inform the decision-making process. For instance, primary development goals should be evaluated with ecosystem parameters to optimize regional land use. Although balance and synergy analyses dominate ecosystem service research, current research has mostly focused on the correlations between ecosystem services. Non-linear relationship among multiple ecosystem services should be a key topic for future studies. Moreover, climate change in a large time span has been barely included in existing studies. In fact, regional climate change has a

间的非线性关系。最后，过去的研究较少考虑时间跨度较大的气候变化。实际上，整个区域的气候变化背景对于区域生态系统服务会有显著影响，包括改变生态系统服务的供给数量、质量和时空格局。因此全球气候变化背景下的生态系统服务研究也是未来的一个重要方向^[6]。

3 生态系统服务价值评估

当前的生态系统服务价值评估途径包括两种：能值化与币值化。前者亦可称为生态热力法，即用太阳能值来表征生态系统服务的价值。币值化的运用十分广泛，其计算方法主要有两种，一种是利用科斯坦萨等学者已经核算好的单位面积价值量来计算整个区域的价值量，这种方式操作简单；另一种是首先模拟出物质质量，例如通过模型模拟出一个区域能够保持的土壤量、贮存的碳量，以及生产的粮食量等，再按照市场价值法和非市场价值法等换算成价值量。为提高生态系统服务价值评估的准确性，我们应当不断探索多样化的物质质量—价值量换算方法，以相互校验核算结果。

一个区域的生态系统服务总价值量是该区域内各类生态系统服务价值量的总和。若加总方式缺乏科学依据，那就仅仅是“数字游戏”。加总计算的准确性取决于三个方面：首先是评估方法的科学性，包括物质质量和价值量的核算；其次在于评估的完整性；最后是评估中未出现重复加总。在MA计划提出的4类生态系统服务中，因支持服务通常作为其他三类服务的形成条件而存在，目前学界已达成共识，不核算支持服务的价值量，以避免重复核算。此外，尽管部分服务的物质质量模拟与价值量核算相对准确（如供给服务可根据市场交易

profound impact on regional ecosystem services in quantity, quality, and temporal and spatial patterns. Therefore, future ecosystem service research is expected to combine with the agenda of global climate change^[6].

3 Evaluation of Ecosystem Service Values

The evaluation of ecosystem service values has been realized through two methods of energization and monetization. The former could be understood as an ecological thermodynamics method that uses solar energy to represent ecosystem service value. Monetization methods have been widely used to estimate value amounts, one of which uses the unit value as provided by Robert Costanza et al. to calculate the total value amount of an area. This method simplifies the factors to be calculated. Another method starts with the stimulation physical amounts, such as the amounts of conserved soil, stored carbon, and grains of a region, and then calculate the ecosystem service value with market valuation and non-market valuation methods. More diverse estimation methods should be considered to better calculate and improve the accuracy of estimation results.

The total amount of the ecosystem service values in a region is the sum of all types of the ecosystem services. Such estimation practices are realized with standardized and consistent scientific methods. Specifically, the accuracy of the sum relies on the reliability of the calculation of physical and value amounts, the integrity of ecosystem services evaluation, and avoidance of double counting. Of the four types of ecosystem services proposed by the MA program, supporting

2. 生态系统服务级联框架

2. Cascade framework of ecosystem services

价格进行换算），但也存在依赖主观判断的风险——对于文化服务来说，如果采用意愿调查法等较为主观的途径，那么得出的结果将存在较大的不确定性。因此，生态系统服务的物质量和价值量核算只能作为参考依据，面对复杂的现实世界，我们需要探索更加科学高效的核算方法和技术。

生态系统服务的价值评估可以为规划设计的前期工作提供基础信息和数据，例如通过模拟物质量，将主要的生态系统服务换算成价值量，再通过专题地图形式清晰显示低值区和高值区、冷点和热点（图3）。这些结果如果再辅以主体功能区划等，就可以为生态安全格局构建、生态红线划定等工作提供重要依据。

services, as the formative condition of the other three services, have not been included in calculations to avoid repetition. The physical amount simulation and value estimation of certain ecosystem services are relatively accurate. For instance, supply services can be converted based on the market trading prices. However, for cultural services the results can include a strong uncertainty if subjective approaches such as the contingent valuation method are employed. Therefore, the physical and value amount calculations of ecosystem services are only references. More reliable and efficient calculation methods and technologies should be employed.

Evaluation of ecosystem services can provide basic information and data for preliminary planning and design. For instance, major ecosystem services can be converted into value amount by simulating the physical amount, after which the value gradient distribution, as well as cold and hot spots, will be clearly presented on themed maps (Fig. 3). Together with major function zoning, these results work as essential basis for ecological safety pattern construction and ecological red line identification.

3. 生态系统服务价值地图以及冷热点分布图

3. Distribution maps of ecosystem service values and cold and hot spots

4 景观设计师的角色

随着科学技术的发展，人类的建造能力越来越强，建造效率越来越高，但目前人类无法预知建造活动会对自然界造成怎样的长期影响。在这种情况下，强度过高的人工介入必然会对自然生态系统，特别是生态脆弱地区的生态系统造成不可逆转的破坏。我们应当以审慎态度对待自然，以避免产生蝴蝶效应。当前中国大部分污染物的排放已经到达库兹涅茨曲线的拐点，尽管未来污染物的排放量未必会增加，但由于环境污染的滞后性和累积效应，除较为容易治理的大气污染外，土壤污染和水污染（特别是地下水污染）等均需要长期的生态治理，生态环境的危机还将持续较长时间。景观设计师应当以避免生态系统发生不可逆转的损害为底线从事环境设计工作，而遵循划定的生态红线只是其中一个基本原则。

然而，低介入并不意味着不作为。自然资本必须与人造资本相结合才能为人类带来收益，在这一过程中，生态系统服务发挥着重要的转换作用。在介入自然过程之前，景观设计师应当充分评估当地的资源环境的承载力，以免造成浪费与破坏。归根结底，这是一个权衡的过程，也是考验设计师智慧的过程。同地理学家一样，景观设计师拥有自然科学与社会科学的双重背景，景观设计学也是一门与社会发展紧密相连的应用学科。未来，随着生态系统服务级联框架研究与应用的不断加强，景观设计师可以借助自身优势在生态建设中发挥更大的作用。**LAF**

4 Roles of Landscape Architects

Humans are increasingly able to construct stronger and more efficient built spaces. But we cannot predict the long-term impacts of these construction activities on nature unless we minimize our interventions. Excessive intervention will generate irreversible damages on natural ecosystems, especially for those areas with fragile ecologies. We should treat nature cautiously because any slight disturbance could generate a profound butterfly effect. At present, most of the pollutant emissions in China have reached a climax at the Kuznets curve: we cannot go above the current level. Air pollution is relatively easier to treat while soil and water pollution, especially groundwater pollution, will last for a longer time. Landscape architects must avoid irreversible ecosystem damages, but following the ecological red line is a subjective minimum.

However, less intervention does not mean nonfeasance. Natural capital must work with human-made capital to generate benefits for all people, during which process ecosystem services play the key role of converting. Landscape architects should thoroughly evaluate the capacity of local environmental resources before intervening in natural process as to avoid resource waste. Future design work will be a wisdom of balance. Like geologists, landscape architects enjoy both natural science and social science backgrounds, and Landscape Architecture is an applied discipline closely related to social development. By strengthening research and application of the cascade framework of ecosystem services, landscape architects can play a more important role in future ecological construction. **LAF**

REFERENCES

- [1] Millennium Ecosystem Assessment. (2005). Ecosystems and Human Well-being. Washington, DC: Island Press.
- [2] Costanza, R., D'Arge, R., De Groot, R., Farber, S., Grasso, M., Hannon, B., ... Van den Belt, M. (1997). The value of the world's ecosystem services and natural capital. *Nature*, 387(6630), 253-260.
- [3] Daily, G. C. (1997). *Nature's services: Societal dependence on natural ecosystems*. Washington: Island Press.
- [4] Hains-Young, R., & Potschin, M. (2010). The links between biodiversity, ecosystem services and human well-being. In D. G. Raffaelli, & C. L. Frid (Eds.), *Ecosystem ecology: A new synthesis*. Cambridge: Cambridge University Press.
- [5] Li, S. C. (2014). *The Geography of Ecosystem Services*. Beijing: Science Press.
- [6] Li, S. C., Xie, A. L., Lv, C. Y., & Guo, X. D. (2018). Progress and Prospects of Land Ecosystem Service Research. *China Land Science*, 32(12), 82-89.