深圳蛇口学校广场景观改造

LANDSCAPE RENOVATION
OF SHEKOU SCHOOL SQUARE
IN SHENZHEN

1 项目背景

改革开放40多年来，深圳的发展为全世界所瞩目。但随着城镇化的快速推进，本土村落逐渐没落，农田和滩涂变成了钢筋混凝土丛林，地域性景观逐渐消失，位于城市东南部的蛇口地区即为其中一个典型案例。作为深圳市人口最密集的城区之一，蛇口旧城区公共空间不足、空间内设施老化等问题近年来日益凸显，因此，城市公共空间的更新越来越受到社会和政府的关注。

2018年，由深圳市规划和国土资源委员会指导、深圳市南山区蛇口街道办事处与深圳市城市规划协会联合主办、深圳市规划国土发展研究中心承办的“趣城·蛇口社区微更新计划”设计竞赛正式启动。该竞赛旨在通过对社区内的小广场、小公园等小尺度场所或指示牌、垃圾桶等城市设施进行更新，打造创意邻里空间。竞赛共选取4个试点项目，自组空间团队最终获得其中两个口袋公园项目的一等奖，并作为总包单位进行设计和施工。蛇口学校广场即为其中一个获奖项目。

黄丹霞*
自组空间景观设计工作室创始合伙人

梁瑞华
自组空间景观设计工作室创始合伙人

*通讯作者
地址：广东省深圳市南山区沿山路43号创业壹号A栋4-5楼
邮编：518000
邮箱：hdx@zzkj.pro

HUANG Danxia
Founding Partner of Zizu Studio

LIANG Ruihua
Founding Partner of Zizu Studio

摘要

蛇口学校广场是一个位于广东省深圳市南山区的小尺度城市公共空间改造项目。开始设计前，设计团队首先对广场使用者进行了共计7天的行为习惯调研，记录了他们对广场的使用需求，并通过采访当地居民了解到他们对于此处场地的深厚感情，随后以“光阴的故事”为主线，打破原本封闭的场地边界，并通过置入模块化坐凳、学校标识展示墙、童年游戏剪影、互动科普装置、体能游戏图案等设计元素，创造了大量的休闲及游戏空间，满足了不同人群的使用需求，同时引导人们以多种方式使用场地。设计团队采用研究型设计方法，基于细致深入的场地调研和精细化设计，创造了有利于儿童和老人身心健康的公共空间，促进了不同人群的交流互动，并显著提升了城市公共空间品质。此外，针对项目的使用后观察以及对后期维护和使用情况的经验总结，也为设计团队对同类型的公共空间设计提供了宝贵经验。

关键词

口袋公园；儿童；城市微更新；街角广场；模块化设计

ABSTRACT

The landscape renovation project of Shekou School Square in Nanshan District of Shenzhen, Guangdong Province, China is a micro renewal of urban public space. Through a seven-day investigation on user behaviors of the square, the design team recorded various usage needs and learned about the deep feelings of the local residents to the site. The team then conceived a design theme of "Time Story" by opening the boundary of the site and creating recreational spaces and features such as modular seats, school logo display wall, childhood game silhouettes on planters, interactive installations for science education, and physical game patterns on the ground, the needs of various groups were met and more ways to use the square could be developed. The team adopted a research-based method and refined design to create a public space that is conducive to the physical and mental health of children and the elderly, promoting communication and interaction between different user groups, and significantly improving the quality of urban public space. In addition, the team's post-occupancy observation and reflections on maintenance and utilization provide valuable experience for future design.

KEYWORDS

Pocket Park; Children; Micro Urban Renewal; Corner Square; Modular Design

1. 改造前的内向型场地空间功能单一，人流动线混乱无序。
1. Before renovation, the inward square failed to provide diverse and clear function zones for visitors.

1
© 自由空间/Ze Zu Studio

2 设计

2.1 场地调研

蛇口学校广场是位于深圳蛇口学校入口旁的一个小型城市公共空间，占地面积约500m²。在上下学的人流高峰期，大量学生及家长在此聚集，临时停放的自行车和电动自行车也随处可见；另一方面，这里又是一个被高密度社区围合的内向型角落空间，缺乏活动设施，加之阻碍人群流动的围墙、破旧且体积过大的宣传栏、树池过高不宜使用等消极元素的存在，导致场地空间功能单一，人流动线混乱无序。

在设计开始前，设计团队首先在2018年选择两个暑假假日（8月5日与14日）、周一、周三、周五三个工作日（10月22、24、26日），以及周六、周日两天周末（10月27~28日）对广场使用者进行了为期7天的行为调研：一方面观察场地在一天中不同时段的使用情况，另一方面对学生、家长、教职人员、校园保安、过往行人等不同群体进行访谈，记录他们对广场的使用需求。

基于调研结果，设计团队根据对广场的使用频率将使用者分为三类。第一类是儿童（学生）和家长（包括老人），他们使用场地的频率最高，且使用时间主要集中在7:00am-8:00am（上午上学）、11:00am-12:00am（中午放学）、1:30pm-2:30pm（下午上学），以及

4:00pm-6:00pm（下午放学）4个时间段。家长的使用诉求包括充足的等候空间、易于接送和看护孩子、便于停放电动自行车和自行车，以及方便与其他家长进行交流等。儿童的主要诉求则是增加坐憩空间和游玩设施，供等候学校开门时使用。第二类人群是周边居民和路过的行人。他们主要在此广场进行自发活动，如散步和跳广场舞。第三类人群是学校相关工作人员，包括教师、行政管理人员、后勤人员、校警保安等。其中，教师在放学时会带领低年级学生在此排队等候家长，逗留时间较短；除少数人会在这里临时停放自行车之外，该群体中的大部分人平时基本不会进入场地。此外，照明设施的缺乏导致场地在夜间基本无人使用。

2.2 设计过程

根据以往经验，场地尺度越小，设计精度越高，而小型改造类项目尤其要求问题针对性强的精细设计。通过深入的场地调研（包括照片、视频及相关案例等资料研究），团队提出本次设计主要需回应以下问题：1）如何促进人群在场地内停留，并鼓励他们使用空间？2）如何增加场地内空间使用方式的多样性？3）如何体现场所精神？

由此，设计团队制定了三项空间改造策略：1）打破由原有围墙、树池和宣传栏等设施形成的围合空间，建立开放边界，引导更多样的

场地使用人群需求分析
Demand analysis of site users

- 使用需求
User demands
- 现状情况
Current situation
- 改善途径
Improvement approaches

	儿童（学生）、家长和老人 Children (students), parents, and the elderly			学校相关人员 School personnel			周边居民和路过的行人 Residents nearby and passersby		
	儿童（学生） Children (students)	家长 Parents	老人 The elderly	行政管理人员 Administrative staff	教职工 Teaching staff	来校交流参观群体 Visiting groups for education communication	校警保安 School security guards	周边居民 Residents nearby	路过的行人 Passers-by
使用需求 User demands									
充足的等候空间 Sufficient waiting space									
充足的座椅 Adequate seating space									
游乐活动设施 Play facilities									
散步 Walking									
自行车和电动自行车停放空间 Parking space for bicycles and electric bikes									
广场舞空间 Space for square dancing									
照明 Lighting									
现状情况 Current situation									
边界封闭 Closed boundary									
设施单一 Few facilities									
缺少座椅 Insufficient seating space									
停车凌乱 Disordered parking									
夜间缺少照明 Lack of lighting at night									
改善途径 Improvement approaches									
建立开放边界 Open the boundary									
增设坐憩空间 Create more seating space									
绘制地面体能锻炼图案 Paint physical game patterns on the ground									
引入游乐设施 Introduce play facilities									
增设照明系统 Add lighting system

- 图例 Legend

1 蛇口学校入口
Entrance of Shekou School

2 互动科普装置
Interactive science popularization installations

3 模块化坐凳
Modular seats

4 树池
Planters

5 学校标识展示墙
School logo display wall

6 体能游戏图案
Physical game patterns

7 樟树
The camphor tree
2. 场地使用人群需求分析

3. 蛇口学校广场平面图设计

2. Demand analysis of site users

3. Renovation plan of Shekou School Square

4. 改造后的场地创造了有利于儿童和老人身心健康的公共空间，显著提升了城市公共空间的品质。
4. The renovated square is conducive to the physical and mental health of children and the elderly, significantly improving the quality of urban public spaces.

人群进入场地；2）现状树池高度接近800mm，材质为常见的黄色石材，质感粗糙，不适宜坐憩。宣传栏由于体积过大，周围产生了许多空间死角，容易造成垃圾堆积。因此需创造多样、舒适、整洁的休闲空间及配套设施；3）通过引导增加人群对设施的使用，并促进人与人之间的交流互动。

在场地调研过程中，设计团队还采访到一位老人，从而了解到老蛇口人对这处场地的深厚感情：蛇口学校成立于1970年，现今周边大多数居民都在这里度过了自己的学童时光。后来，许多居民的孩子也继续在蛇口学校就读。这块场地不仅记录了他们的青春，也承载着他们与孩子的共同记忆，而场地中一棵历史悠久的香樟树（*Cinnamomum camphora*）也见证着这一传承。于是，设计团队决定将这棵香樟树作为场所精神的核心，在此基础上塑造一处承载着本地人独特记忆的公共空间，使它继续庇护每一个在此经过或停留的人。

综上，设计团队以“光阴的故事”为主线展开景观设计，将原有围墙部分拆除、剩余墙体改造为学校标识展示墙，在香樟树周围设置模块化座椅，在场地内布置互动科普装置并绘制体能游戏图案，从而创造了一处可供休憩等候和自由玩耍的共享空间。学校标识展示墙大大提高了广场沿街界面的通透度，有利于引导人流进入场地，墙上的方孔也可以让行人窥见广场内部，引发其好奇心；结合现状铺装和场地形状置入的六边形模块坐凳，可以像积木一样进行叠放组合，为家长和学生提供了足够的休息空间及灵活的就座方向；互动科普装置由钢结构制成，包括标有刻度的立杆、刻有太阳系行星名称的转筒和转盘，向驻足者传达基本的度量和地理学知识。学生们可在刻度立杆旁测量身高，以此感受时光的流逝，可转动的太阳系装置则暗示着昼夜交替，均与设计主题“光阴的故事”形成呼应；树池外壁上刻画着14

种当地居民熟知的游戏剪影，可唤起驻足者对童年的回忆；在地面绘制的一组跳格子及跳远图案则可供孩子们进行体能锻炼，丰富课外活动形式。设计还在模块坐凳下方安装了灯带，为夜间的广场提供充足的照明，以延长其使用时间。

3 建造

由于场地位于学校主入口旁，为减少施工对学生上下学的干扰，业主要求整个施工过程必须在一个月內完成，因此设计团队选择了模块化建造方式，所有设计元素均使用统一的模数系统，使得大部分设施可实现预制，减少现场切割加工可能带来的安全隐患和环境影响。设计团队将正方形、矩形、三角形、圆形、多边形等模块形状进行对比，鉴于场地边缘与道路之间形成的既有夹角，六边形设施能较好地消解空间死角，钝角设计对儿童和老年使用者也更为安全，因此设计最终选取了六边形模数系统。该模数系统将场地特征、设计策略和建造目标有机融合在一起，同时保证了施工质量和速度。

为儿童和老人设计公共空间时，需要重点考虑安全性和尺度适宜性。在本项目中，六边形模块坐凳和树池将成为场地内使用频率最高的元素，因此其立面和平面转角处需要倒圆角，以防使用者磕碰受伤。此外，设计团队在对比花岗岩、水磨石、钢板和木材后，最终选取木材作为坐凳材料，使坐凳在被烈日曝晒之后不会很热，冬天也不会太冷。在尺度上，设计师将坐凳高度从常规的450mm调整至400mm，使儿童和老人坐下时脚跟可以着地，从而减少身体的紧张感，也便于儿童轻松地爬上跳下。在设计互动科普装置时，转筒的转速和转盘的缝隙宽度也充分考虑了儿童的手指大小，以防出现夹手的情况。这些

尺度、材料和交互上的设计细节看似简单，却是城市公共空间设计中不可缺少的人文关怀。

4 使用后观察

项目交付使用一周后，设计团队即进行了第一次使用后观察。令人满意的是，大多数人使用场地的方式与设想相符，这证明了前期调研的充分性和有效性。放学前，提前在此等候的家长们或坐在六边形坐凳上，或倚靠树池半坐，或驻足交谈；放学后，高年级学生常常在互动科普装置处玩耍聊天；午后，宽敞的六边形坐凳可供附近的上班族和清洁工人打盹休憩；傍晚，坐凳下的灯带亮起，吸引下班回家的路人前来小坐；晚上，前来散步和跳广场舞的周边居民明显增多，在深夜偶尔也会有路人经过。开放的边界、通透的视线和新增的照明设施消除了空间死角，在此处倾倒垃圾等不文明现象也大幅减少。

改造后的场地也出现了一些意料之外的使用方式，使设计团队对不同使用者的行为规律有了更深入的认识。例如，下午放学后，一些学生会在香樟树下的坐凳处交流作业问题；一些参加课外补习班的学生也会把这里作为等待车辆接送的集合地点；地面上的体能游戏图案会引导儿童自发排队，建立行为秩序。这些观察都为今后的同类型项目提供了更详细的设计依据。

另一方面，在之后的多次回访中，设计团队也发现了一些值得反思的问题。例如，可叠放组合的六边形模块坐凳虽然增加了可坐空间，但儿童需要踏上第一级才能坐上第二级，使得第一级由于频繁踩踏而外观受损，影响了使用体验。又如将树池边缘设计为200mm宽，原本是为了便于将边角打磨圆滑，以免学生磕碰受伤，而实际上，这一宽度使得树池边缘成为学生追逐爬跳的路径，导致位于树池外侧的植

物踩踏情况严重。设计团队意识到，在今后的同类型项目中，应对使用者行为进行更深入的研究，对设计方案进行更周全的考量，尽量避免设计成果引发其他问题。

5 思考

扬·盖尔曾言：我们首先塑造了城市，然后城市将塑造我们。^[1]中国城市经历了40余年的高速发展，城市环境建设已从原来大拆大建的增量模式，转变为以城市更新为主的存量模式，口袋公园、社区改造等城市微更新项目将会越来越多，公共空间设计也将越发重视使用者需求和社区场所精神，并更充分地考虑儿童、老人等弱势群体的使用习惯和行为模式，因为他们往往是社区公共空间最大的使用者群体。在本项目中，设计团队采用研究型设计方法，基于细致深入的场地调研和精细化设计，创造了有利于儿童和老人身心健康的公共空间，促进了不同人群的交流互动，并显著提升了城市公共空间品质。此外，针对项目的使用后观察以及对后期维护和使用情况的经验总结，也为日后的同类公共空间设计提供了宝贵经验。

LAF

项目信息

项目地址：中国广东省深圳市南山区
项目面积：500m²
项目委托：深圳市南山区蛇口街道办事处
景观设计：自组空间景观设计工作室
首席设计师：梁瑞华
项目负责人：黄丹霞
设计团队：杜梦碧、梁妍
设计时间：2019年1-2月
施工时间：2019年3-4月
建成时间：2019年5月
所获奖项：趣城·蛇口社区微更新计划设计竞赛一等奖

6. 标识墙上的方孔也是人们互动的窗口。
6. The hollows in the wall are also windows for Interaction.

1 Background

For more than 40 years since the reform and opening up, Shenzhen has witnessed world-widely impressive development. However, this urbanization process is at the cost of the gradual disappearance of local rural landscapes such as villages, farmlands, and mud flats. Meanwhile, as one of the most densely populated areas in Shenzhen, the old town of Shekou suffers from the increasingly aging and deficient public spaces, arousing a wide attention from the society and the government in recent years.

In 2018, City of Fun: Shekou Community Micro Renewal Initiative Design Competition was launched. It was supported by Shenzhen Urban Planning and Land Resources Commission, co-hosted by Shekou Sub-district Office of Nanshan District and Shenzhen Urban Planning Association, and organized by Shenzhen Urban Planning and Land Resource Research Center. It aimed to create ingenious neighborhood spaces by upgrading small squares, mini parks, and urban facilities such as signage systems and trash bins. Four pilot projects were selected for the competition, and Zizu Studio won the first prizes of two pocket park projects and was designated as a general contractor for the subsequent design and construction. Shekou School Square is one of the winning projects.

2 Design

2.1 Site Investigation

Covering an area of about 500 m², Shekou School Square is located at the intersection of two city roads. Sitting among the high-density communities nearby and neighboring the entrance

of Shekou School, the site was an inward space defined by high walls and accommodated few activity facilities, poorly-maintained notice boards, and over-height planters, failing to serve citizens' daily activity needs. The site was heavily used by the students and parents during the peak hours of school commutes, but saw a disordered circulation of pedestrians and cyclists.

At the very beginning of the project, the design team conducted a seven-day investigation on user behaviors of the square in 2018 — including two days in the summer holiday (August 5 and 14), three working days (Monday, Wednesday, and Friday, October 22, 24, and 26), and a weekend (October 27 ~ 28) — by recording the usage of the site at different time periods in one day and interviewing the students, parents, teachers, security staff, passers-by, etc. to understand their needs.

Based on the investigation results, the team identified three types of users by site use frequency. The first group is children (students) and parents (including grandparents). They are the major users of the site with four usage peak hours, namely 7:00 am - 8:00 am (going to school), 11:00 am - 12:00 am (lunch break), 1:30 pm - 2:30 pm (going back to school after the lunch break), and 4:00 pm - 6:00 pm (leaving school). Parents ask for more parking space for electric bikes and bicycles and waiting space where they can easily pick up and look after their children and communicate with each other; and children hope to have more sitting space and play facilities that can be used in the before- / after-school hours. The second group is the residents living nearby and the passers-by. Their usage of the site saw a spontaneous pattern, such as walking and square dancing. The third group includes

teachers, administrative staff, logistical personnel, and security staff of the school. Except the teachers who are responsible for taking care of younger students during the leaving school hours and who temporarily park their bicycles here, few of this group would use the site. Besides, due to the lack of lighting facilities, the site was little used or passed by at night.

2.2 Design Process

Generally, the design of small-scale sites requires refined interventions that delicately and smartly address the site problems, particularly to the projects for micro urban renewal. Through site document (including photos and videos) studies and case studies, the team proposed following questions the design should answer: 1) How to attract people to stay in and encourage them to use the space? 2) How to increase the diversity of space usage? 3) How to embody the place spirit?

The team conceived three design strategies: 1) Since the surrounding high walls, planters, and notice boards together discourage the visitors to enter and use the site, an open boundary needs to be introduced to invite various users; 2) The existing planters were nearly 800 mm in height and made of rough yellow stones — neither attractive nor comfortable to sit on. Besides, the corner around the poorly maintained notice

boards was often littered in a mess. It is necessary to create more leisure spaces of comfort and cleanliness, and facilities for various activities; 3) The design is expected to increase people’s interactions and communication.

Among the interviews, an old gentleman shared the team with his deep feelings about the site: Established in 1970, Shekou School is where most residents nearby studied in their childhoods and so do their children and grandkids. With memories of generations, the square is conceived as a spirit bond connecting different types of users. The team then decided to take the aged lush camphor tree (*Cinnamomum camphora*) on the site as an embodiment of the place spirit to create a unique public space for local residents, blessing everyone passing by or staying in the site.

As above, the team proposed a theme of “Time Story” for the landscape design. The existing high wall was partly dismantled and the remaining part was transformed into a new logo wall for the school. Hexagonal modular seats were installed around the old camphor tree, interactive devices for science education were added, and physical game patterns were painted on the ground to create a shared space for resting, waiting, and playing. The hollow-out logo wall makes the site more visually attractive, and arouses pedestrians’

1. 场地现状
Site context

2. 寻找空间关系
Spatial analysis

3. 确定空间结构
Spatial pattern derivation

4. 细化设计
Detailized design

7. 六边形模数系统的推导过程以及实地放线推敲尺度

7. The derivation process of the hexagonal modular system, and construction stringing on-site to determine the appropriate design scale

8. 模块化坐凳和树池多样化的使用方式
8. Different user groups develop various ways to use modular seats and planters.

© 自留空间/Zzu Studio

curiosity and encourages users' interactions. The modular seats echoing the existing pavement and the shape of the square can be stacked like building blocks, providing parents and students with sufficient rest space and flexible seating directions. The interactive installations were made of steel, consisting of columns with scale marks, and a rotating device of solar system displaying basic metrics and geography knowledge to the visitors. With the columns students can record the increase of their heights which implies the time passing by, while the rotating solar system device explains the law of day-night cycle — both echo the design theme of "Time Story." Silhouettes of 14 children games well-known by the locals were portrayed on the outer wall of the planters, evoking people's childhood memories. Patterns of hopscotch and long jump were painted on the

ground, allowing students to play physical games in this limited space out of class. Light stripes were installed under the modular seats to provide illuminants, as well as a sense of security, for users at night.

3 Construction

Given that the site is close to the school's main entrance, the client required that the construction must be completed within one month to minimize the impact on the schooling. The team therefore decided to use a unified modular system to design all elements, which allows most facilities to be prefabricated at the factory to reduce safety and environmental impact caused by on-site construction. After a careful selection of module shapes

(in square, rectangle, triangle, circle, and polygon), the team employed a hexagonal modular system, because the obtuse angles can minimize the existing dead corners between the edge of the site and the city road and are safer and more friendly to children and elderly users. This modular system can also be easily integrated with site features to fulfill design strategies and construction goals, especially helping ensure the construction quality and efficiency.

Safety and scale considerations are prioritized when designing a public space for children or the elderly. According to the proposal, the hexagonal seats and planters would be the most frequently used facilities, therefore all angles of these modules should be rounded to prevent bumping injury. Besides, the team finally selected wood as the material of seats due to wood has a better thermal comfort compared to granite, waterstone, and steel. In regards to scale, the height of seats was adjusted from a conventional 450 mm to 400 mm, allowing children and the elderly to sit down with their heels touching the ground and making children easier to climb up and down. When designing the interactive installations, the rotating speed of the drum and the width of the gap between the dials were carefully adjusted to avoid entangling children’s fingers. Seemingly simple, such design details reflect humanistic care for children and the elderly, which is essential in the design of urban public spaces.

4 Post-Occupancy Observation

One week after the renovated square was completed and opened, the team conducted the first post-occupancy observation. Satisfactorily, most people used the square as expected, which proved the sufficiency and effectiveness of the site investigation. Before school is over, parents wait in the square and talk with each other, or sit on the hexagonal seats, or lean against the planters. After school, students of higher grades often play and chat around the interactive installations. At noon, office workers and cleaning workers nearby also come here to take a nap on the seats. At dusk, the light strips under the seats illuminate, attracting passers-by off work to have a rest. In the evening, far more residents walk or dance here, and even late at night the site is occasionally used by citizens. The open boundary, the hollowed-out wall, and the lighting revitalize the dead space, and uncivilized behaviors such as littering have also greatly reduced.

It is also surprising that citizens have used the square in unexpected ways, which inspires the team to have a deeper understanding of various groups’ behaviors. For example, after school, some students would talk about homework on the seats under the camphor tree, while some would gather

- 9. 地面上绘制的跳格子及跳远图案可供孩子们进行体能锻炼，丰富课外活动形式。
- 9. Patterns of hopscotch and long jump on the ground encourage students in playing more kinds of physical games out of class.

© 自组空间/Zizu Studio 10

10. 互动科普装置由钢结构制成，包括带有刻度单位的立杆、刻有太阳系行星名称的转筒和转盘，向驻足者传达基本的度量衡和地理知识。
10. The interactive installations for science education are made of steel, consisting of columns with scale marks and a rotating device of solar system displaying basic metrics and geography knowledge to the visitors.

here with teachers to wait for bus to cram school; the physical game patterns on the ground make children get used to queuing up for games. Such observed evidences provide more detailed references for similar space design in the near future.

In subsequent site observations, the team also acquired some lessons. For example, although the stackable hexagonal seats provide more sitting spaces, children need to step on the first level to sit on the second one, therefore the first-level seats often turn into messy and worn, degrading users' experience. Another example is that the planter edge was designed 200 mm in width for an easier angle-rounding, which however now become a "path" for students to climb, jump, or chase on and plants near the edge are often trampled. These findings of user behaviors and preferences would inform the team's design in the future.

5 Review

Jan Gehl once said, "first we shape cities and then they shape us."^[1] After more than 40 years of rapid development, large cities in China have seen a transformation in construction mode from dramatic demolition and rebuilding towards an inventory growth through urban regeneration. Micro urban renewals, such as pocket parks and community renewals, are increasingly putting attention to users' demands, the spirit of place, and considerations on behavior patterns of users including children and the elderly who are socially vulnerable

yet usually use public spaces the most. In the landscape renovation of Shekou School Square, the team adopted a research-based method through site investigation and refined design to create a public space that is conducive to the physical and mental health of children and the elderly, promoting interactions between different user groups, and significantly improving the quality of urban public spaces. In addition, the team's post-occupancy observations and the thoughts on site usage and maintenance provide valuable knowledge for future designs. **LAF**

PROJECT INFORMATION

LOCATION: Nanshan District, Shenzhen City, Guangdong Province, China
AREA (SIZE): 500 m²
CLIENT: Shekou Sub-District Office of Nanshan District, Shenzhen City
LANDSCAPE ARCHITECTURE: Zizu Studio
CHIEF DESIGNER: Liang Ruihua
PROJECT LEADER: Huang Danxia
PROJECT TEAM: Du Mengbi, Liang Yan
DESIGN PERIOD: January ~ February, 2019
CONSTRUCTION PERIOD: March ~ April, 2019
COMPLETED TIME: May, 2019
AWARD: First Prize of City of Fun: Shekou Community Micro Renewal Initiative Design Competition

REFERENCE

[1] Gehl, J. (2010). Cities for People (1st ed.). Washington DC: Island Press.