

Bromide and its associated brominated disinfection byproducts: occurrence, toxicity and control strategies

Yun-Yi Zhou¹, Chang-Jie Yuan¹, Zhi-Jing Wu¹, Jin Zhang², Bao-Jun Xu¹, Jie-Yu Cao¹, Min-Yong

Lee³, Zhuo Chen⁴, Ye Du (✉)¹

1 College of Architecture and Environment, Sichuan University, Chengdu 610065, China

2 Sichuan Science City Tianren Environmental Protection Co., Ltd, Mianyang 621900, China

3 Division of Chemical Research, National Institute of Environmental Research, Seogu Incheon
22689, Republic of Korea

4 School of Environment, Tsinghua University, Beijing 100084, China

✉ Corresponding author
E-mail: duyeah@scu.edu.cn

Supporting Information




Fig. S1 The relationship between bromate inhibition rate and toxicity inhibition rate with the NH_4^+ or H_2O_2

addition: (a) Cytotoxicity; (b) Genotoxicity (Data collected from Wu et al., 2020) (copyright: ACS Publications).

Table S1 Comparison of three disinfectants: chlorine, ozone and PMS/PDS.

Disinfectant	Redox potential	Disinfection target	Typical disinfection byproducts
Chlorine	HOCl (1.49 V) Cl [·] (2.40 V) (Zhang et al., 2023)	phenolic compound, harmful microbe (Westerhoff et al., 2004; Zhu and Zhang, 2016)	halogenated disinfection byproducts (Park et al., 2016)
Ozone	O ₃ (2.07 V)(Zhang et al., 2023)	chlorine-resistant protozoa, electron-rich functional compounds, pathogens, micro-pollutants (Mao et al., 2018; Yang et al., 2019)	aldehydes compounds (formaldehyde, acetaldehyde, glyoxal, methylglyoxal, and trichloroacetaldehyde) (Park et al., 2016)
PMS/PDS	SO ₄ ^{·-} (2.5-3.1 V) OH [·] (1.8-2.7 V) SO ₄ ^{·-} (2.80 V) (Zhang et al., 2005; Zhang et al., 2023)	micropollutants, electron-rich compound (Koudjonou and LeBel, 2006; Zhou et al., 2022)	

Table S2 Formation of bromate and Br-DBPs during the chlorine-based disinfection process.

No.	Reaction	k	Reference
R1	$\text{Br} + \text{HOCl} \rightarrow \text{HOBr} + \text{Cl}$	$1.55\text{-}1.68 \times 10^3$ $\text{M}^{-1}\cdot\text{s}^{-1}$	(Farkas et al., 1949; Kumar and Margerum, 1987;
R2	$\text{ClO} + \text{Br} \rightarrow \text{BrO} + \text{Cl}$	$9 \times 10^{-4} \text{M}^{-1}\cdot\text{s}^{-1}$	Bousher et al., 1989)
R3	$\text{NH}_2\text{Cl} + \text{Br} \rightarrow \text{NH}_2\text{Br} + \text{Cl}$ $\text{NH}_2\text{Br} + \text{H}_2\text{O} \rightarrow \text{HOBr} + \text{NH}_3$	$1.4 \times 10^{-2} \text{M}^{-1}\cdot\text{s}^{-1}$ $1.5 \times 10^{-3} \text{M}^{-1}\cdot\text{s}^{-1}$	(Zhu and Zhang, 2016)
R4	$\text{HOBr}/\text{BrO} + \text{HOCl} \rightarrow \text{BrO}_2$		(Yang et al., 2019)
R5	$\text{Cl} + \text{HOBr}/\text{BrO} \rightarrow \text{Cl} + \text{BrO} \cdot$		(Yang et al., 2019)
R6	$\text{BrO} + \text{OH} \cdot \rightarrow \text{BrO} \cdot$	$4.5 \times 10^9 \text{M}^{-1}\cdot\text{s}^{-1}$	(Buxton et al., 1988)
R7	$\text{HBrO} \cdot + \text{OH} \cdot \rightarrow \text{BrO} \cdot$	$2.0 \times 10^9 \text{M}^{-1}\cdot\text{s}^{-1}$	(Buxton et al., 1988)
R8	$\text{Br} + \text{OH} \cdot \rightarrow \text{Br} \cdot$	$1.1 \times 10^{10} \text{M}^{-1}\cdot\text{s}^{-1}$	(Zehavi and Rabani, 1972; Neta et al., 1988)
R9	$\text{Br} \cdot + \text{Br} \cdot \rightarrow \text{Br}_2 \cdot$	$10^{10} \text{M}^{-1}\cdot\text{s}^{-1}$	(Legube et al., 2004)
R10	$\text{Br}_2 \cdot + \text{BrO} \rightarrow \text{BrO} \cdot + 2\text{Br}$	$8.0 \times 10^7 \text{M}^{-1}\cdot\text{s}^{-1}$	(Legube et al., 2004)
R11	$2\text{BrO} \cdot + \text{H}_2\text{O} \rightarrow \text{BrO}_2 + \text{BrO} + 2\text{H}^+$	$4.9 \times 10^9 \text{M}^{-1}\cdot\text{s}^{-1}$	(Legube et al., 2004)
R12	$\text{OH} \cdot + \text{BrO}_2 \rightarrow \text{BrO}_2 \cdot$ $\text{BrO}_2 \cdot + \text{OH} \cdot \rightarrow \text{H}^+ + \text{BrO}_3$	$1.9 \times 10^9 \text{M}^{-1}\cdot\text{s}^{-1}$ $2.0 \times 10^9 \text{M}^{-1}\cdot\text{s}^{-1}$	(Yang et al., 2019)
R13	$\text{HOBr}/\text{BrO} + \text{DOM} \rightarrow \text{Br-DBP}_s$		(Langsa et al., 2017)

Table S3 Formation of bromate and Br-DBPs during the ozonation.

No.	Reactions	k	References
R1	$O_3 + Br \rightarrow BrO + O_2$	$160 M^{-1} \cdot s^{-1}$	(Legube et al., 2004)
R2	$O_3 + BrO \rightarrow BrO_2 + O_2$	$100 M^{-1} \cdot s^{-1}$	(Legube et al., 2004)
R3	$O_3 + BrO_2 \rightarrow BrO_3 + O_2$	$>10^5 M^{-1} \cdot s^{-1}$	(Legube et al., 2004)
R4	$Br + OH \cdot \rightarrow Br \cdot$	$1.1 \times 10^{10} M^{-1} \cdot s^{-1}$	(Zehavi and Rabani, 1972; Neta et al., 1988)
R5	$Br \cdot + Br \rightarrow Br_2 \cdot$	$10^{10} M^{-1} \cdot s$	(Legube et al., 2004)
R6	$Br_2 \cdot + BrO \rightarrow BrO \cdot + 2Br$	$8.0 \times 10^7 M^{-1} \cdot s^{-1}$	(Legube et al., 2004)
R7	$Br \cdot + O_3 \rightarrow BrO \cdot$	$>10^5 M^{-1} \cdot s^{-1}$	(Wu et al., 2020)
R8	$2BrO \cdot + H_2O \rightarrow BrO_2 + BrO + 2H^+$	$4.9 \times 10^9 M^{-1} \cdot s^{-1}$	(Legube et al., 2004)
R9	$BrO + OH \cdot \rightarrow BrO \cdot$	$4.5 \times 10^9 M^{-1} \cdot s^{-1}$	(Buxton et al., 1988)
R10	$HBrO + OH \cdot \rightarrow BrO \cdot$	$2.0 \times 10^9 M^{-1} \cdot s^{-1}$	(Buxton et al., 1988)
R11	$OH \cdot + BrO_2 \rightarrow BrO_2 \cdot$	$1.9 \times 10^9 M^{-1} \cdot s^{-1}$	(Yang et al., 2019)
R11	$BrO_2 \cdot + OH \cdot \rightarrow H^+ + BrO_3$	$2.0 \times 10^9 M^{-1} \cdot s^{-1}$	
R12	$HOBr/BrO + DOM \rightarrow Br-DBP_s$		(Langsa et al., 2017)

Table S4 Formation of bromate and Br-DBPs during the persulfate-based disinfection process.

No.	Reaction	k	Reference			
R1	$\text{HSO}_5^- + \text{Br}^- \rightarrow \text{HOBr} + \text{SO}_4^{2-}$	$0.7 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Lente et al., 2009)			
R2	$\text{SO}_5^{2-} + \text{Br}^- \rightarrow \text{BrO}^- + \text{SO}_4^{2-}$	$0.17 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Lente et al., 2009)			
Disinfectant	Bromide concentration ($\mu\text{g/L}$)					
	500	1000	1812	2000	5000	10000
R3	$\text{SO}_4^{\cdot-} + \text{Br}^- \rightarrow \text{Br}^{\cdot} + \text{SO}_4^{2-}$	$3.5 \times 10^9 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Zehavi and Rabani, 1972; Neta et al., 1988)			
R4	$\text{Br}^{\cdot} + \text{OH}^- \rightarrow \text{Br}^-$	$1.1 \times 10^{10} \text{ M}^{-1} \cdot \text{s}^{-1}$	(Zehavi and Rabani, 1972; Neta et al., 1988)			
R5	$\text{Br}^{\cdot} + \text{Br}^- \rightarrow \text{Br}_2^{\cdot-}$	$10^{10} \text{ M}^{-1} \cdot \text{s}^{-1}$	(Klänning and Wolff, 1985)			
R6	$\text{Br}_2^{\cdot-} + \text{BrO}^- \rightarrow \text{BrO}_2^{\cdot} + 2\text{Br}^-$	$8 \times 10^7 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Legube et al., 2004)			
R8	$2\text{BrO}^{\cdot} + \text{H}_2\text{O} \rightarrow \text{BrO}_2^{\cdot} + \text{BrO}^- + 2\text{H}^+$	$4.9 \times 10^9 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Legube et al., 2004)			
R9	$\text{BrO}^- + \text{OH}^- \rightarrow \text{BrO}^{\cdot}$	$4.5 \times 10^9 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Buxton et al., 1988)			
R10	$\text{HBrO} + \text{OH}^- \rightarrow \text{BrO}^{\cdot}$	$2 \times 10^9 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Buxton et al., 1988)			
R11	$\text{OH}^{\cdot} + \text{BrO}_2^- \rightarrow \text{BrO}_2^{\cdot}$	$1.9 \times 10^9 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Yang et al., 2019)			
R12	$\text{BrO}_2^{\cdot} + \text{OH}^- \rightarrow \text{H}^+ + \text{BrO}_3^-$	$2.0 \times 10^9 \text{ M}^{-1} \cdot \text{s}^{-1}$	(Yang et al., 2019)			
R13	$\text{HOBr/BrO}^- + \text{DOM} \rightarrow \text{Br-DBP}_s$		(Langsa et al., 2017)			

Table S5 The increase in cytotoxicity induced by the presence of bromide relative to that in bromide-free

water.

O ₃	1.36	1.64	/	3.06	/	/
NaClO or Cl ₂	1.16	/	/	1.60	1.89	2.12
NH ₂ Cl	1.43	/	/	/	3.62	3.64
PMS	/	1.69	1.93	/	/	/
UV/PMS	/	1.88	1.97	2.70	/	/
Disinfectant	Bromide concentration (µg/L)					
	100	200	1000	1812	2000	

Table S6 The increase in genotoxicity induced by the presence of bromide relative to that in bromide-free

water.

O ₃	1.21	1.52	4.72	/	/
NaClO or Cl ₂	2.93	2.49	3.49	/	1.93
NH ₂ Cl	/	/	/	/	/
PMS	/	/	2.20	2.25	/
UV/PMS	/	/	1.59	1.82	3.64

References

- Bousher A, Brimblecombe P, Midgley D (1989). Kinetics of reactions in solutions containing monochloramine and bromide. *Water Research*, 23(8): 1049-1058
- Buxton G V, Greenstock C L, Helman W P, Ross A B (1988). Critical review of rate constants for reactions of hydrated electrons, hydrogen atoms and hydroxyl radicals ($\cdot\text{OH}/\cdot\text{O}$ in aqueous solution. *Journal of physical and chemical reference data*, 17(2): 513-886
- Farkas L, Lewin M, Bloch R (1949). The reaction between hypochlorite and bromides. *Journal of the American Chemical Society*, 71(6): 1988-1991
- Kläning U K, Wolff T (1985). Laser flash photolysis of HClO, ClO₂, HBrO, and BrO₂ in aqueous solution. Reactions of Cl and Br atoms. *Berichte der Bunsengesellschaft für physikalische Chemie*, 89(3): 243-245
- Koudjonou B K, Lebel G L (2006). Halogenated acetaldehydes: Analysis, stability and fate in drinking water. *Chemosphere*, 64(5): 795-802
- Kumar K, Margerum D W (1987). Kinetics and mechanism of general-acid-assisted oxidation of bromide by hypochlorite and hypochlorous acid. *Inorganic Chemistry*, 26(16): 2706-2711
- Langsa M, Heitz A, Joll C A, Von Gunten U, Allard S (2017). Mechanistic aspects of the formation of adsorbable

- organic bromine during chlorination of bromide-containing synthetic waters. *Environmental science & technology*, 51(9): 5146-5155
- Legube B, Parinet B, Gelinet K, Berne F, Croue J-P (2004). Modeling of bromate formation by ozonation of surface waters in drinking water treatment. *Water Research*, 38(8): 2185-2195
- Lente G, Kalmár J, Baranyai Z, Kun A, Kék I, Bajusz D, Takács M, Veres L, Fábán I (2009). One-versus two-electron oxidation with peroxomonosulfate ion: reactions with iron (II), vanadium (IV), halide ions, and photoreaction with cerium (III). *Inorganic Chemistry*, 48(4): 1763-1773
- Mao Y, Guo D, Yao W, Wang X, Yang H, Xie Y F, Komarneni S, Yu G, Wang Y (2018). Effects of conventional ozonation and electro-peroxone pretreatment of surface water on disinfection by-product formation during subsequent chlorination. *Water Research*, 130: 322-332
- Neta P, Huie R E, Ross A B (1988). Rate constants for reactions of inorganic radicals in aqueous solution. *Journal of physical and chemical reference data*, 17(3): 1027-1284
- Park K-Y, Choi S-Y, Lee S-H, Kweon J-H, Song J-H (2016). Comparison of formation of disinfection by-products by chlorination and ozonation of wastewater effluents and their toxicity to daphnia magna. *Environmental Pollution*, 215: 314-321
- Westerhoff P, Chao P, Mash H (2004). Reactivity of natural organic matter with aqueous chlorine and bromine. *Water Research*, 38(6): 1502-1513
- Wu Q-Y, Yang L-L, Zhang X-Y, Wang W-L, Lu Y, Du Y, Lu Y, Hu H-Y (2020). Ammonia-mediated bromate inhibition during ozonation promotes the toxicity due to oorganic byproduct transformation. *Environmental science & technology*, 54(14): 8926-8937
- Yang J, Dong Z, Jiang C, Wang C, Liu H (2019). An overview of bromate formation in chemical oxidation processes: Occurrence, mechanism, influencing factors, risk assessment, and control strategies. *Chemosphere*,

237: 124521

Zehavi D, Rabani J (1972). Oxidation of aqueous bromide ions by hydroxyl radicals. Pulse radiolytic investigation.

The Journal of Physical Chemistry, 76(3): 312-319

Zhang X, Echigo S, Lei H, Smith M E, Minear R A, Talley J W (2005). Effects of temperature and chemical

addition on the formation of bromoorganic DBPs during ozonation. Water Research, 39(2-3): 423-435

Zhang Y-X, Xiang J-L, Wang J-J, Du H-S, Wang T-T, Huo Z-Y, Wang W-L, Liu M, Du Y (2023). Ultraviolet-based

synergistic processes for wastewater disinfection: A review. Journal of Hazardous Materials, 453: 131393

Zhou X, Ren X, Chen Y, Feng H, Yu J, Peng K, Zhang Y, Chen W, Tang J, Wang J, Tang L (2022). Bacteria

inactivation by sulfate radical: progress and non-negligible disinfection by-products. Frontiers of

Environmental Science & Engineering, 17(3): 29

Zhu X, Zhang X (2016). Modeling the formation of TOCl, TOBr and TOI during chlor(am)ination of drinking

water. Water Research, 96: 166-176