



Outlier-resistant distributed fusion filtering for nonlinear discrete-time singular systems under a dynamic event-triggered scheme*

Zhibin HU^{1,2}, Jun HU^{†‡1,2,3}, Cai CHEN^{†‡3}, Hongjian LIU⁴, Xiaojian YI^{5,6,7}

¹Department of Applied Mathematics, Harbin University of Science and Technology, Harbin 150080, China

²Heilongjiang Provincial Key Laboratory of Optimization Control and Intelligent Analysis for Complex Systems, Harbin University of Science and Technology, Harbin 150080, China

³School of Automation, Harbin University of Science and Technology, Harbin 150080, China

⁴School of Mathematics and Physics, Anhui Polytechnic University, Wuhu 241000, China

⁵School of Mechatronic Engineering, Beijing Institute of Technology, Beijing 100081, China

⁶Yangtze Delta Region Academy of Beijing Institute of Technology, Jiaxing 314003, China

⁷Tangshan Research Institute, Beijing Institute of Technology, Tangshan 063099, China

[†]E-mail: jhu@hrbust.edu.cn; chencailee@hrbust.edu.cn

Received July 28, 2023; Revision accepted Sept. 15, 2023; Crosschecked Jan. 16, 2024

Abstract: This paper investigates the problem of outlier-resistant distributed fusion filtering (DFF) for a class of multi-sensor nonlinear singular systems (MSNSSs) under a dynamic event-triggered scheme (DETS). To relieve the effect of measurement outliers in data transmission, a self-adaptive saturation function is used. Moreover, to further reduce the energy consumption of each sensor node and improve the efficiency of resource utilization, a DETS is adopted to regulate the frequency of data transmission. For the addressed MSNSSs, our purpose is to construct the local outlier-resistant filter under the effects of the measurement outliers and the DETS; the local upper bound (UB) on the filtering error covariance (FEC) is derived by solving the difference equations and minimized by designing proper filter gains. Furthermore, according to the local filters and their UBs, a DFF algorithm is presented in terms of the inverse covariance intersection fusion rule. As such, the proposed DFF algorithm has the advantages of reducing the frequency of data transmission and the impact of measurement outliers, thereby improving the estimation performance. Moreover, the uniform boundedness of the filtering error is discussed and a corresponding sufficient condition is presented. Finally, the validity of the developed algorithm is checked using a simulation example.

Key words: Distributed fusion filtering; Multi-sensor nonlinear singular systems; Dynamic event-triggered scheme; Outlier-resistant filter; Uniform boundedness

<https://doi.org/10.1631/FITEE.2300508>

CLC number: TP212; TN713

[‡] Corresponding authors

* Project supported by the National Natural Science Foundation of China (No. 12171124), the Natural Science Foundation of Heilongjiang Province of China (No. ZD2022F003), the National High-end Foreign Experts Recruitment Plan of China (No. G2023012004L), and the Alexander von Humboldt Foundation of Germany

ORCID: Jun HU, <https://orcid.org/0000-0002-7852-5064>; Cai CHEN, <https://orcid.org/0000-0001-7006-5027>

© Zhejiang University Press 2024

1 Introduction

Sensor networks (SNs) are composed of many sensor nodes, where each sensor node can detect and track the target node to obtain plenty of measurement data and then share the data with other nodes through network channels (Sun Y et al., 2022; Zhan et al., 2023). Apart from SNs, there are many

dynamical systems in use that employ physical devices to achieve data exchange and communication over networks, such as multi-agent systems and Internet of Things (Ju et al., 2022; Yao et al., 2022; Chen et al., 2023; Ning et al., 2023). Among them, it is of great significance to efficiently deal with data collected from SNs and obtain state information when a large quantity of data are translated on the Internet with limited bandwidth. As such, the estimation/filtering issue with regard to SNs has received much attention, and many results have been reported for normal systems over SNs (Li Q et al., 2020; Sun Y et al., 2022; Wen et al., 2022; Hu et al., 2023d). However, studies of handling singular system (SS) estimation issues are still limited, and deserve further investigation.

Over the past few decades, the issue of state estimation/filtering for SSs has received great interest accompanying the rapid developments in robotic, aerospace, economics, and communication technologies (Dai, 1989). Specifically, note that such dynamical systems have a more general form than normal systems, and that the state estimation problem becomes more difficult and complicated to address. Although the Kalman filter method is a classic filtering method, it cannot be directly used for SSs (Nikoukhah et al., 1992; Li XG et al., 2022). Accordingly, much effort has already been made to tackle this issue, and some approaches have been proposed (Wang X and Sun, 2017; Cai and Chang, 2023; Hu et al., 2023a). Among them, there are two commonly used methods for handling this problem. One way is the reduced-order approach, in which the reduced-order Kalman filter has been designed in Wang X and Sun (2017) for linear SSs in terms of the singular value decomposition strategy. The other method is the full-order approach, which can write the SS as an equivalent normal system under certain restrictions (Sun SL and Ma, 2007; Hajmohammadi and Mobayen, 2019). Compared with the reduced-order approach, the full-order approach can be used in SSs with lower dimensions. In addition, to obtain much more valuable information, the problems of distributed fusion filtering (DFF) and weighted measurement fusion filtering have been investigated in Sun JB et al. (2012) and Dou and Ran (2019) for linear multi-sensor SSs, respectively, where the fusion filters were derived by using the reduced-order approach.

According to the literature, an initial assumption on the estimation/filtering issue is that the measurement information from the sensor node is completely accurate. In many actual applications, however, such an assumption cannot be commonly ensured because the underlying system is always affected by sensor fault, missing measurements, measurement outliers, and other phenomena. If not handled properly, these issues can seriously influence the reliability of the system, and then a great number of corresponding results have been proposed (Ma LF et al., 2021; Jin and Sun, 2022; Wang YZ et al., 2022). Compared with other phenomena, when networked systems are influenced by cyberattacks and sensor failures, the measurement information may generate abnormal values, which is usually called the measurement outlier phenomenon. Accordingly, the analysis and synthesis issues with respect to networked systems subject to measurement outliers have stirred more attention (Xie et al., 2022; Zhao et al., 2022; Zou et al., 2022; Ge et al., 2023a). Obviously, traditional filtering algorithms are not appropriate for systems subject to measurement outliers. In this regard, it is of great significance to design an outlier-resistant estimation scheme, in which the constructed estimator is insensitive to measurement outliers. Therefore, much effort has been made to tackle this challenging task (Alessandri and Zaccarian, 2018; Jiang et al., 2021; Shen et al., 2021). For example, the filtering problem has been addressed by Shen et al. (2021) for multi-sensor multi-rate linear systems suffering from measurement outliers, where the outlier-resistant estimator has been given by using an innovative saturation strategy to reduce the effect of measurement outliers. Another outlier-resistant estimator was designed in Jiang et al. (2021) for nonlinear systems with measurement outliers, which involves an innovative self-adaptive saturation approach. However, to our knowledge, the DFF problem has seldom been addressed for multi-sensor nonlinear SSs in the presence of measurement outliers, which motivates our current study.

In another research field, the developments in communication technology and the increase in network information have caused a great deal of data to be transmitted in network channels, which can cause packet collisions and data losses due to network bandwidth (Jin and Sun, 2022). An

effective approach in handling this situation is to adopt a communication scheduling strategy in network channels to regulate data flow and save network resources (Wang XL et al., 2022; Ge et al., 2023b; Zhang et al., 2023). Some classical communication scheduling strategies include, but are not limited to, the Round-Robin protocol, random access protocol, try-once-discard protocol, static event-triggered scheme (SETS), and dynamic event-triggered scheme (DETS) (Tan et al., 2017; Zou et al., 2021; Ge et al., 2022; Li JX et al., 2022; Meng et al., 2022; Hu et al., 2023c). Compared with SETS, DETS can further reduce the frequency of transmission signal, which can be considered as a valid method to decrease energy consumption and network costs, since a dynamic variable has been involved (Girard, 2015). As such, a great deal of effort has been expended to investigate the DETS estimation issues (Li Q et al., 2020; Ma L et al., 2020; Jiang et al., 2022). For example, a DETS-based estimation algorithm was developed in Ma L et al. (2020) for linear singularly perturbed systems subject to distributed time delays. In addition, for multi-sensor nonlinear normal systems with the DETS, the distributed filtering and DFF issues have been tackled (Li Q et al., 2020; Hu et al., 2023b). Nevertheless, the DFF problem has not been completely handled for multi-sensor nonlinear SSs under the DETS, which further motivates our investigation.

This paper aims at developing an outlier-resistant DFF algorithm for a class of time-varying multi-sensor nonlinear SSs subject to measurement outliers under the DETS. To be specific, the concerned issue is studied according to recent works (Jiang et al., 2021; Hu et al., 2023b). Nevertheless, in comparison to the results in Hu et al. (2023b), where the addressed system under the DETS was a standard nonlinear stochastic system, in our work, the DETS is considered for nonlinear SSs and the design of a local filter in Hu et al. (2023b) can be regarded as a special design of this paper when its saturation condition is ignored. Unlike the work of Jiang et al. (2021), the multi-sensor nonlinear SSs and DETS are taken into account. In addition, the local filter with the innovation saturation condition in this paper is constructed under the DETS. Hence, the presented DFF algorithm enriches existing results and could save network resources. In view of the foregoing analysis, the aims of this paper are

as follows: (1) determine how to design a unified approach for nonlinear SSs with measurement outliers and DETS; (2) determine how to implement a proper DFF algorithm that can mitigate the effects of measurement outliers and the DETS concerning filtering performance; (3) determine how to provide a suitable condition to guarantee the uniform mean-square boundedness of the filtering error through theoretical analysis. To address these aims, our main contributions are as follows: (1) a uniform model framework is established for nonlinear SSs in the presence of measurement outliers and the DETS using the full-order approach; (2) a DFF algorithm is developed in terms of the inverse covariance intersection (ICI) fusion method; (3) the upper bound (UB) on the local filtering error covariance (FEC) is obtained, which can be minimized by selecting proper local filter gains; (4) a sufficient condition ensuring the uniform boundedness of filtering error in a mean-square sense is presented.

Notations: \mathbb{R}^n is used to depict the n -dimensional Euclidean space. \mathbb{N} stands for the integer set. $\text{tr}(A)$ means the trace of matrix A . I and I_k denote the unit matrix with an appropriate dimension and the k -dimensional unit matrix, respectively. $\|y\|$ denotes the Euclidean norm of vector y . B^T and B^{-1} represent the transpose and inverse of matrix B . $\mathbb{E}\{y\}$ refers to the expectation of the random variable y . $\min\{a, b\}$ and $\max\{a, b\}$ stand for the minimum and maximum values between two variables a and b , respectively.

2 Problem formulation

We consider the following class of multi-sensor discrete time-varying nonlinear SSs:

$$Kx_{f+1} = A'_f x_f + h'(x_f) + B'_f \varpi_f, \quad (1)$$

$$y_{i,f} = C_{i,f} x_f + \mu_{i,f}, \quad i = 1, 2, \dots, \kappa, \quad (2)$$

where $f \in \mathbb{N}$ stands for the sampling time, $x_f \in \mathbb{R}^n$ represents the state vector to be estimated, $y_{i,f} \in \mathbb{R}^m$ stands for the measurement information with respect to the i^{th} sensor node, $\varpi_f \in \mathbb{R}^v$ and $\mu_{i,f} \in \mathbb{R}^m$ are process noise and measurement noise, which are Gaussian white noises with zero means and covariances Q_f and $R_{i,f} > 0$, respectively, and A'_f , B'_f , and $C_{i,f}$ represent the given matrices with proper dimensions.

The nonlinear function $h'(x_f) \in \mathbb{R}^n$ is a time-varying vector with $h'(0) = 0$ and satisfies the following condition:

$$\|h'(x_f) - h'(z_f)\| \leq \alpha \|x_f - z_f\|, \quad (3)$$

for $x_f, z_f \in \mathbb{R}^n$, where $\alpha > 0$ is a known scalar.

Assumption 1 K is a singular square matrix, i.e., $\text{rank}(K) = n_1 < n$.

Assumption 2 System (1) is regular, i.e., $\det(\tau K - A'_f) \neq 0$, where τ is an arbitrary complex number.

Assumption 3 System (1) is causal, i.e., $\deg(\det(\tau K - A'_f)) = \text{rank}(K)$, where τ is an arbitrary complex number.

Assumption 4 Matrices K and $C_{i,f}$ satisfy $\text{rank}\left(\begin{bmatrix} K^T & C_{i,f}^T \end{bmatrix}\right) = n$.

Assumption 5 The initial value x_0 is independent of the random variables ϖ_f and $\mu_{i,f}$, and it has mean \bar{x}_0 and covariance P_0 . Furthermore, the non-central second-order moment of the initial value x_0 is $\mathbb{E}\{x_0 x_0^T\} = P_0 + \bar{x}_0 \bar{x}_0^T$. Moreover, for any $f > 0$, the system state x_f satisfies the following condition:

$$\mathbb{E}\{x_f x_f^T\} \leq w_1 I, \quad (4)$$

where w_1 is a known constant.

Remark 1 In Assumption 5, the assumption of independence among random variables is made and then can allow for simplifications in the mathematical modeling and computation of the estimation process. In addition, for the standard state space system, the evolution process of the state system is easy to obtain. That is, the specific result of $\mathbb{E}\{x_f x_f^T\}$ can be derived by using the state equation with a recursive structure. However, according to Eq. (1), we cannot straightway obtain the evolution process of the state. An elegant approach is presented to assume a UB of $\mathbb{E}\{x_f x_f^T\}$, which allows for the derivation of subsequent mathematical formulas. Without loss of generality, the variations of states of most systems are within certain ranges in some situations, which can be the case by considering the physical constraints, engineering requirements, and so on.

To alleviate the network congestion and allocate the network resource reasonably, the DETS is introduced into communication networks, which can determine whether the measurement information with regard to each sensor is transmitted to the remote estimator or not. Specifically, the triggering instant

sequence is denoted by $0 \leq t_0^i < t_1^i < \dots < t_l^i < \dots$, where t_{l+1}^i satisfies the following rule:

$$t_{l+1}^i = \min \left\{ f \in \mathbb{N} \mid f > t_l^i, \frac{1}{\beta_i} \phi_{i,f} + \varrho_i - \|\varepsilon_{i,f}\| \leq 0 \right\}, \quad (5)$$

with $\varrho_i > 0$ and $\beta_i > 0$ being scalars. $\varepsilon_{i,f} = y_{i,f} - y_{i,t_l^i}$, y_{i,t_l^i} is the latest transmitted measurement, and $\phi_{i,f}$ represents an internal dynamic variable that meets the following condition:

$$\phi_{i,f+1} = \xi_i \phi_{i,f} + \varrho_i - \|\varepsilon_{i,f}\|, \quad \phi_{i,0} = \phi_0^i, \quad (6)$$

where $\xi_i > 0$ is a given constant and $\phi_0^i \geq 0$ is the known initial value.

Remark 2 When $\beta_i \rightarrow +\infty$, condition (5) can be turned into the traditional SETS as in Tan et al. (2017). Therefore, we can see that the SETS is a special case of the DETS. Based on the above description of the DETS, some features of the DETS are listed as follows: (1) the DETS allows for more flexibility in terms of changes of the dynamic variable $\phi_{i,f}$, thereby reducing the transmission overhead; (2) in resource-constrained environments, the DETS can be regarded as a valid scheme to optimize resource utilization and save energy consumption; (3) the DETS can be effectively applied in distributed systems because each sensor node has a different triggering condition based on its own measurement and error.

In multi-sensor networked SSs, the desired filter cannot be designed directly in the light of SSs (1) and (2). To tackle this problem, the full-order transformation approach that can transform the SSs into nonsingular systems is used based on the results of Sun SL and Ma (2007) and Hajmohammadi and Mobayen (2019). Specifically, in accordance with Assumption 4, there exists a full row-rank matrix $[U \quad V_{i,f}]$ such that

$$[U \quad V_{i,f}] \begin{bmatrix} K \\ C_{i,f} \end{bmatrix} = UK + V_{i,f} C_{i,f} = I_n. \quad (7)$$

Remark 3 With the method in Hajmohammadi and Mobayen (2019), matrices U and $V_{i,f}$ can be calculated by means of the singular value decomposition approach; that is, the solution of Eq. (7) can be deduced as follows:

$$[U \quad V_{i,f}] = \begin{bmatrix} K \\ C_{i,f} \end{bmatrix}^\dagger + \Sigma \left(I_{n+m} - \begin{bmatrix} K \\ C_{i,f} \end{bmatrix} \begin{bmatrix} K \\ C_{i,f} \end{bmatrix}^\dagger \right), \quad (8)$$

where Σ is an arbitrary matrix, which can be derived to guarantee that U is of full rank. In addition, the symbol “ \dagger ” represents the pseudo-inverse of a matrix.

Combining Eqs. (2) and (7), SS (1) can be rewritten as

$$\begin{aligned} x_{f+1} = & A_f x_f + h(x_f) + V_{i,f+1} y_{i,f+1} \\ & + B_f \varpi_f - V_{i,f+1} \mu_{i,f+1}, \end{aligned} \quad (9)$$

where $A_f = UA'_f$, $h(x_f) = Uh'(x_f)$, and $B_f = UB'_f$.

As pointed out in the introduction, the phenomenon of the measurement outlier is inevitable in engineering applications, which may result in a significant degradation of filter performance if it is not dealt with reasonably. To mitigate the potential negative impact on measurement outliers in multi-sensor networked SSs, an innovation saturation approach with a self-adaptive threshold is exploited to design the local filter. Accordingly, the i^{th} filter is established as follows:

$$\hat{x}_{i,f+1|f} = A_f \hat{x}_{i,f|f} + h(\hat{x}_{i,f|f}), \quad (10)$$

$$\begin{aligned} \hat{x}_{i,f+1|f+1} = & \hat{x}_{i,f+1|f} + G_{i,f+1} S_{\pi_{i,f+1}}(y_{i,t_{i+1}} \\ & - C_{i,f+1} \hat{x}_{i,f+1|f}), \end{aligned} \quad (11)$$

where $\hat{x}_{i,f+1|f}$ and $\hat{x}_{i,f|f}$ are the local prediction and state estimate based on the measurement of the i^{th} sensor node at time f , respectively. In addition, the initial value of $\hat{x}_{i,f|f}$ is $\hat{x}_{i,0|0} = \bar{x}_0$. $G_{i,f+1}$ is the gain of the i^{th} filter to be designed. Based on the results from Jiang et al. (2021), $S_{\pi_{i,f+1}}(\cdot) \in \mathbb{R}^m$ denotes a self-adaptive saturation function and $\pi_{i,f+1} = [\pi_{i,f+1}^{(1)} \quad \pi_{i,f+1}^{(2)} \quad \cdots \quad \pi_{i,f+1}^{(m)}]^T \in \mathbb{R}^m$ represents the saturation limit. Herein, for any vector $\zeta = [\zeta_1 \quad \zeta_2 \quad \cdots \quad \zeta_m]^T \in \mathbb{R}^m$, $S_{\pi_{i,f+1}}(\cdot)$ is defined as follows:

$$\begin{aligned} & S_{\pi_{i,f+1}}(\zeta) \\ \triangleq & \left[S_{\pi_{i,f+1}^{(1)}}(\zeta_1) \quad S_{\pi_{i,f+1}^{(2)}}(\zeta_2) \quad \cdots \quad S_{\pi_{i,f+1}^{(m)}}(\zeta_m) \right]^T, \end{aligned} \quad (12)$$

where $S_{\pi_{i,f+1}^{(j)}}(\zeta_j) \triangleq \max \left\{ -\pi_{i,f+1}^{(j)}, \min \left\{ \pi_{i,f+1}^{(j)}, \zeta_j \right\} \right\}$ ($j = 1, 2, \dots, m$). The self-adaptive saturation limits $\pi_{i,f+1}^{(j)}$ satisfy the following condition:

$$\pi_{i,f+1}^{(j)} = \sqrt{\bar{\pi}_{i,f+1} / \rho_i^{(j)}}, j = 1, 2, \dots, m, \quad (13)$$

where

$$\begin{aligned} \bar{\pi}_{i,f+1} = & \gamma_i \bar{\pi}_{i,f} + (y_{i,t_{i+1}} - C_{i,f+1} \hat{x}_{i,f+1|f})^T \\ & \cdot Z_i(y_{i,t_{i+1}} - C_{i,f+1} \hat{x}_{i,f+1|f}) \end{aligned} \quad (14)$$

is a scalar with the initial value $\bar{\pi}_{i,0}$, and $\gamma_i \in (0, 1)$, $Z_i = Z_i^T > 0$, and $\rho_i^{(j)} > 0$ are appropriate parameters.

To facilitate our discussion, we subsequently define the prediction error and filtering error as $\tilde{x}_{i,f+1|f} \triangleq x_{f+1} - \hat{x}_{i,f+1|f}$ and $\tilde{x}_{i,f+1|f+1} \triangleq x_{f+1} - \hat{x}_{i,f+1|f+1}$, respectively. Moreover, the corresponding definitions for the prediction error covariance (PEC) and FEC are $\Gamma_{i,f+1|f} = \mathbb{E}\{\tilde{x}_{i,f+1|f} \tilde{x}_{i,f+1|f}^T\}$ and $\Gamma_{i,f+1|f+1} = \mathbb{E}\{\tilde{x}_{i,f+1|f+1} \tilde{x}_{i,f+1|f+1}^T\}$, respectively.

The main objective of this paper is to construct the local filter as in Eqs. (10) and (11). In addition, under the DETS, the UB of the local FEC is obtained and then minimized by designing the proper filter gain in each processor. In view of the local filters and UBs of the FEC from all processors, we look for the distributed fusion filter (FF) $\hat{x}_{f|f}^{\text{ICI}}$ and FEC $\bar{\Gamma}_{f|f}^{\text{ICI}}$ based on the ICI fusion method described in Noack et al. (2017). Moreover, the boundedness regarding the filtering error is investigated and analyzed by proposing a sufficient criterion. To clarify the research issue, the diagram of the system framework is shown in Fig. 1.

3 Main results

In this section, we develop an outlier-resistant DFF algorithm for nonlinear SSs with measurement outliers and DETS by using the ICI fusion criterion.

3.1 Derivation of the local FEC

To proceed, the following lemmas are introduced:

Lemma 1 For any $b_1, b_2 \in \mathbb{R}^n$, one has

$$b_1 b_2^T + b_2 b_1^T \leq \varphi b_1 b_1^T + \varphi^{-1} b_2 b_2^T,$$

where $\varphi > 0$ is a scalar.

Lemma 2 (Jiang et al., 2021) For any $c_1, c_2 \in \mathbb{R}$, there exists a real number $\lambda \in [0, 1]$ satisfying

$$S_{\pi}(c_1) - S_{\pi}(c_2) = \lambda(c_1 - c_2),$$

where $S_{\pi}(\cdot)$ denotes the saturation function described in Eq. (12).

Lemma 3 (Li Q et al., 2020) For all $i \in \{1, 2, \dots, \kappa\}$, suppose that $\xi_i \beta_i \geq 1$ is true and let $a_{i,f} > 0$ and $b_{i,f} > 0$ be given scalars. The variables




Fig. 1 Diagram of the system framework

$\Upsilon_{i,f} \triangleq \mathbb{E}\{\phi_{i,f}^2\}$ obey $\Upsilon_{i,f} \leq \bar{\Upsilon}_{i,f}$, where

$$\begin{aligned} \bar{\Upsilon}_{i,f+1} &= \left((1 + a_{i,f})(1 + b_{i,f})\xi_i^2 + (1 + a_{i,f}^{-1}) \right. \\ &\quad \cdot (1 + \beta_i)/\beta_i^2 \bar{\Upsilon}_{i,f} + \left. (1 + a_{i,f})(1 + b_{i,f}^{-1}) \right. \\ &\quad \left. + (1 + a_{i,f}^{-1})(1 + \beta_i^{-1}) \right) \varrho_i^2, \end{aligned} \quad (15)$$

with the initial value $\bar{\Upsilon}_{i,0} = \phi_{i,0}^2$.

Based on Lemmas 1–3 and some definitions, the recursion expressions of estimation error covariances are provided as follows:

Theorem 1 For sensor i ($i = 1, 2, \dots, \kappa$), the local PEC $\Gamma_{i,f+1|f}$ and FEC $\Gamma_{i,f+1|f+1}$ with the initial value $\Gamma_{i,0|0} = P_0$ have the following forms:

$$\begin{aligned} \Gamma_{i,f+1|f} &= A_f \Gamma_{i,f|f} A_f^T + \mathbb{E}\{\tilde{h}(\tilde{x}_{i,f|f}) (\tilde{h}(\tilde{x}_{i,f|f}))^T\} \\ &\quad + V_{i,f+1} \mathbb{E}\{y_{i,f+1} y_{i,f+1}^T\} V_{i,f+1}^T + B_f Q_f B_f^T \\ &\quad + V_{i,f+1} R_{i,f+1} V_{i,f+1}^T + \sum_{k=1}^5 (\mathcal{M}_k + \mathcal{M}_k^T), \end{aligned} \quad (16)$$

$$\begin{aligned} \Gamma_{i,f+1|f+1} &= (I - G_{i,f+1} A_{i,f+1} C_{i,f+1}) \Gamma_{i,f+1|f} \\ &\quad \cdot (I - G_{i,f+1} A_{i,f+1} C_{i,f+1})^T \\ &\quad + G_{i,f+1} A_{i,f+1} \mathbb{E}\{\varepsilon_{i,f+1} \varepsilon_{i,f+1}^T\} \\ &\quad \cdot A_{i,f+1}^T G_{i,f+1}^T + G_{i,f+1} (A_{i,f+1} - I) \\ &\quad \cdot \mathbb{E}\{\pi_{i,f+1} \pi_{i,f+1}^T\} (A_{i,f+1} - I)^T \\ &\quad \cdot G_{i,f+1}^T + G_{i,f+1} A_{i,f+1} R_{i,f+1} \\ &\quad \cdot A_{i,f+1}^T G_{i,f+1}^T + \sum_{k=1}^5 (\mathcal{N}_k + \mathcal{N}_k^T), \end{aligned} \quad (17)$$

where

$$\begin{aligned} A_{i,f+1} &= \text{diag}\{\lambda_{i,f+1}^{(1)}, \lambda_{i,f+1}^{(2)}, \dots, \lambda_{i,f+1}^{(m)}\}, \\ \tilde{h}(\tilde{x}_{i,f|f}) &= h(x_f) - h(\hat{x}_{i,f|f}), \\ \mathcal{M}_1 &= A_f \mathbb{E}\{\tilde{x}_{i,f|f} (\tilde{h}(\tilde{x}_{i,f|f}))^T\}, \\ \mathcal{M}_2 &= A_f \mathbb{E}\{\tilde{x}_{i,f|f} y_{i,f+1}^T\} V_{i,f+1}^T, \\ \mathcal{M}_3 &= \mathbb{E}\{\tilde{h}(\tilde{x}_{i,f|f}) y_{i,f+1}^T\} V_{i,f+1}^T, \\ \mathcal{M}_4 &= V_{i,f+1} \mathbb{E}\{y_{i,f+1} \varpi_f^T\} B_f^T, \\ \mathcal{M}_5 &= -V_{i,f+1} \mathbb{E}\{y_{i,f+1} \mu_{i,f+1}^T\} V_{i,f+1}^T, \\ \mathcal{N}_1 &= (I - G_{i,f+1} A_{i,f+1} C_{i,f+1}) \\ &\quad \cdot \mathbb{E}\{\tilde{x}_{i,f+1|f} \varepsilon_{i,f+1}^T\} A_{i,f+1}^T G_{i,f+1}^T, \\ \mathcal{N}_2 &= (I - G_{i,f+1} A_{i,f+1} C_{i,f+1}) \\ &\quad \cdot \mathbb{E}\{\tilde{x}_{i,f+1|f} \pi_{i,f+1}^T\} (A_{i,f+1} - I)^T G_{i,f+1}^T, \\ \mathcal{N}_3 &= -(I - G_{i,f+1} A_{i,f+1} C_{i,f+1}) \\ &\quad \cdot \mathbb{E}\{\tilde{x}_{i,f+1|f} \mu_{i,f+1}^T\} A_{i,f+1}^T G_{i,f+1}^T, \\ \mathcal{N}_4 &= G_{i,f+1} A_{i,f+1} \mathbb{E}\{\varepsilon_{i,f+1} \pi_{i,f+1}^T\} \\ &\quad \cdot (A_{i,f+1} - I)^T G_{i,f+1}^T, \\ \mathcal{N}_5 &= -G_{i,f+1} A_{i,f+1} \mathbb{E}\{\varepsilon_{i,f+1} \mu_{i,f+1}^T\} \\ &\quad \cdot A_{i,f+1}^T G_{i,f+1}^T. \end{aligned}$$

Proof For brevity, the proof of Theorem 1 is omitted here.

Theorem 2 For each sensor subsystem, let scalars $\varphi_{q_1} > 0$ ($q_1 = 0, 1, \dots, 13$) be given. If the following two difference equations

$$\begin{aligned} \bar{\Gamma}_{i,f+1|f} &= (1 + \varphi_1 + \varphi_2) A_f \bar{\Gamma}_{i,f|f} A_f^T + (1 + \varphi_1^{-1} + \varphi_3) \alpha^2 \\ &\quad \cdot \text{tr}(\bar{\Gamma}_{i,f|f}) U U^T + (1 + \varphi_2^{-1} + \varphi_3^{-1} + \varphi_4 + \varphi_5) \\ &\quad \cdot V_{i,f+1} \Theta_{i,f+1} V_{i,f+1}^T + (1 + \varphi_4^{-1}) B_f Q_f B_f^T \\ &\quad + (1 + \varphi_5^{-1}) V_{i,f+1} R_{i,f+1} V_{i,f+1}^T \end{aligned} \quad (18)$$

and

$$\begin{aligned} & \bar{\Gamma}_{i,f+1|f+1} \\ &= (1 + \varphi_6 + \varphi_7 + \varphi_8)(I - G_{i,f+1}A_{i,f+1}C_{i,f+1}) \\ & \quad \cdot \bar{\Gamma}_{i,f+1|f}(I - G_{i,f+1}A_{i,f+1}C_{i,f+1})^T \\ & \quad + (1 + \varphi_6^{-1} + \varphi_9 + \varphi_{10})\Delta_{i,f+1}^{(1)}G_{i,f+1}A_{i,f+1} \\ & \quad \cdot A_{i,f+1}^T G_{i,f+1}^T + (1 + \varphi_7^{-1} + \varphi_9^{-1})\Delta_{i,f+1}^{(3)}G_{i,f+1} \\ & \quad \cdot (A_{i,f+1} - I)(A_{i,f+1} - I)^T G_{i,f+1}^T \\ & \quad + (1 + \varphi_8^{-1} + \varphi_{10}^{-1})G_{i,f+1}A_{i,f+1}R_{i,f+1} \\ & \quad \cdot A_{i,f+1}^T G_{i,f+1}^T \end{aligned} \quad (19)$$

with the initial condition $\Gamma_{i,0|0} = \bar{\Gamma}_{i,0|0} > 0$ have solutions $\bar{\Gamma}_{i,f+1|f} > 0$ and $\bar{\Gamma}_{i,f+1|f+1} > 0$, respectively, where

$$\begin{aligned} \Theta_{i,f+1} &= (1 + \varphi_0)w_1C_{i,f+1}C_{i,f+1}^T \\ & \quad + (1 + \varphi_0^{-1})R_{i,f+1}, \\ \Delta_{i,f+1}^{(1)} &= (1 + \beta_i)\bar{\Upsilon}_{i,f+1}/\beta_i^2 + (1 + \beta_i^{-1})\varrho^2, \\ \Delta_{i,f+1}^{(2)} &= (1 + \varphi_{11} + \varphi_{12})C_{i,f+1}\bar{\Gamma}_{i,f+1|f}C_{i,f+1}^T \\ & \quad + (1 + \varphi_{11}^{-1} + \varphi_{13})\Delta_{i,f+1}^{(1)}I \\ & \quad + (1 + \varphi_{12}^{-1} + \varphi_{13}^{-1})R_{i,f+1}, \\ \Delta_{i,f+1}^{(3)} &= \left[\gamma_i^{f+1}\bar{\pi}_{i,0} + \sum_{q=0}^f \gamma_i^{f-q}\text{tr}\left(Z_i\Delta_{i,q+1}^{(2)}\right) \right] \\ & \quad \cdot \sum_{j=1}^m \frac{1}{\rho_i^{(j)}}, \\ \Delta_{i,f+1}^{(4)} &= (1 + \varphi_6 + \varphi_7 + \varphi_8)A_{i,f+1}C_{i,f+1}\bar{\Gamma}_{i,f+1|f} \\ & \quad \cdot C_{i,f+1}^T A_{i,f+1}^T + (1 + \varphi_6^{-1} + \varphi_9 + \varphi_{10}) \\ & \quad \cdot \Delta_{i,f+1}^{(1)}A_{i,f+1}A_{i,f+1}^T + (1 + \varphi_7^{-1} + \varphi_9^{-1}) \\ & \quad \cdot \Delta_{i,f+1}^{(3)}(A_{i,f+1} - I)(A_{i,f+1} - I)^T + (1 \\ & \quad + \varphi_8^{-1} + \varphi_{10}^{-1})A_{i,f+1}R_{i,f+1}A_{i,f+1}^T, \end{aligned} \quad (20)$$

then it can be derived that

$$\Gamma_{i,f+1|f} \leq \bar{\Gamma}_{i,f+1|f}, \quad \Gamma_{i,f+1|f+1} \leq \bar{\Gamma}_{i,f+1|f+1}.$$

Furthermore, if the local filter gain is expressed as

$$\begin{aligned} G_{i,f+1} &= (1 + \varphi_6 + \varphi_7 + \varphi_8)\bar{\Gamma}_{i,f+1|f}C_{i,f+1}^T \\ & \quad \cdot A_{i,f+1}^T \left(\Delta_{i,f+1}^{(4)} \right)^{-1}, \end{aligned} \quad (21)$$

then it can be verified that the UB of the FEC is minimized at each moment.

Proof Theorem 2 is proved by using the mathematical induction approach. Specifically, based

on the initial condition, we have $\Gamma_{i,0|0} = \bar{\Gamma}_{i,0|0} > 0$. In what follows, suppose that the condition $\Gamma_{i,f|f} \leq \bar{\Gamma}_{i,f|f}$ holds; then we will prove $\Gamma_{i,f+1|f+1} \leq \bar{\Gamma}_{i,f+1|f+1}$. First, according to Lemma 1, the cross terms of Eq. (16) are addressed. As such, we have

$$\begin{aligned} & \Gamma_{i,f+1|f} \\ & \leq (1 + \varphi_1 + \varphi_2)A_f\Gamma_{i,f|f}A_f^T + (1 + \varphi_1^{-1} + \varphi_3) \\ & \quad \cdot \mathbb{E}\{\tilde{h}(\tilde{x}_{i,f|f})(\tilde{h}(\tilde{x}_{i,f|f}))^T\} + (1 + \varphi_2^{-1} + \varphi_3^{-1}) \\ & \quad + \varphi_4 + \varphi_5)V_{i,f+1}\mathbb{E}\{y_{i,f+1}y_{i,f+1}^T\}V_{i,f+1}^T \\ & \quad + (1 + \varphi_4^{-1})B_fQ_fB_f^T + (1 + \varphi_5^{-1})V_{i,f+1} \\ & \quad \cdot R_{i,f+1}V_{i,f+1}^T \end{aligned} \quad (22)$$

with φ_1 - φ_5 being positive scalars. In terms of inequality (3), the uncertain term of inequality (22) can be tackled as

$$\begin{aligned} & \mathbb{E}\{\tilde{h}(\tilde{x}_{i,f|f})(\tilde{h}(\tilde{x}_{i,f|f}))^T\} \\ & \leq \mathbb{E}\{\|h'(x_f) - h'(\hat{x}_{i,f|f})\|^2\}UU^T \\ & \leq \alpha^2\text{tr}(\Gamma_{i,f|f})UU^T, \end{aligned} \quad (23)$$

where $\alpha > 0$ is a scalar. In view of inequality (4) and Lemma 1, the other uncertain term of inequality (22) is addressed as

$$\begin{aligned} & \mathbb{E}\{y_{i,f+1}y_{i,f+1}^T\} \\ & \leq (1 + \varphi_0)w_1C_{i,f+1}C_{i,f+1}^T + (1 + \varphi_0^{-1})R_{i,f+1} \\ & \triangleq \Theta_{i,f+1}, \end{aligned} \quad (24)$$

where $\varphi_0 > 0$ is a scalar. It follows from inequalities (23) and (24) that

$$\begin{aligned} & \Gamma_{i,f+1|f} \\ & \leq (1 + \varphi_1 + \varphi_2)A_f\Gamma_{i,f|f}A_f^T \\ & \quad + (1 + \varphi_1^{-1} + \varphi_3)\alpha^2\text{tr}(\Gamma_{i,f|f})UU^T \\ & \quad + (1 + \varphi_2^{-1} + \varphi_3^{-1} + \varphi_4 + \varphi_5)V_{i,f+1} \\ & \quad \cdot \Theta_{i,f+1}V_{i,f+1}^T + (1 + \varphi_4^{-1})B_fQ_fB_f^T \\ & \quad + (1 + \varphi_5^{-1})V_{i,f+1}R_{i,f+1}V_{i,f+1}^T. \end{aligned} \quad (25)$$

Next, we will check that $\Gamma_{i,f+1|f+1} \leq \bar{\Gamma}_{i,f+1|f+1}$. Using Lemma 1, the cross terms of Eq. (17) can be tackled, and then we can obtain

$$\begin{aligned} & \Gamma_{i,f+1|f+1} \\ & \leq (1 + \varphi_6 + \varphi_7 + \varphi_8)(I - G_{i,f+1}A_{i,f+1}C_{i,f+1}) \\ & \quad \cdot \Gamma_{i,f+1|f}(I - G_{i,f+1}A_{i,f+1}C_{i,f+1})^T \\ & \quad + (1 + \varphi_6^{-1} + \varphi_9 + \varphi_{10})G_{i,f+1}A_{i,f+1} \\ & \quad \cdot \mathbb{E}\{\varepsilon_{i,f+1}\varepsilon_{i,f+1}^T\}A_{i,f+1}^T G_{i,f+1}^T + (1 + \varphi_7^{-1}) \end{aligned}$$

$$\begin{aligned}
& + \varphi_9^{-1})G_{i,f+1}(A_{i,f+1} - I)\mathbb{E}\{\pi_{i,f+1}\pi_{i,f+1}^T\} \\
& \cdot (A_{i,f+1} - I)^T G_{i,f+1}^T + (1 + \varphi_8^{-1} + \varphi_{10}^{-1})G_{i,f+1} \\
& \cdot A_{i,f+1}R_{i,f+1}A_{i,f+1}^T G_{i,f+1}^T, \quad (26)
\end{aligned}$$

where φ_{q_2} ($q_2 = 6, 7, \dots, 10$) are positive scalars. From Eq. (5) and Lemma 3, the uncertain term of inequality (26) can be handled as

$$\begin{aligned}
& \mathbb{E}\{\varepsilon_{i,f+1}\varepsilon_{i,f+1}^T\} \\
& \leq [(1 + \beta_i)\tilde{Y}_{i,f+1}/\beta_i^2 + (1 + \beta_i^{-1})\varrho_i^2]I \quad (27) \\
& \triangleq \Delta_{i,f+1}^{(1)}I.
\end{aligned}$$

Noticing the other uncertain term of inequality(26), it follows from Eqs. (13) and (14) that

$$\begin{aligned}
& \mathbb{E}\{\pi_{i,f+1}\pi_{i,f+1}^T\} \\
& \leq \mathbb{E}\left\{\left[\gamma_i\bar{\pi}_{i,f} + (-\varepsilon_{i,f+1} + C_{i,f+1}\tilde{x}_{i,f+1|f} + \mu_{i,f+1})^T \right. \right. \\
& \quad \left. \left. \cdot Z_i(-\varepsilon_{i,f+1} + C_{i,f+1}\tilde{x}_{i,f+1|f} + \mu_{i,f+1})\right] \sum_{j=1}^m \frac{1}{\rho_i^{(j)}}\right\}I. \quad (28)
\end{aligned}$$

It follows from Lemma 1 that

$$\begin{aligned}
& \mathbb{E}\left\{(-\varepsilon_{i,f+1} + C_{i,f+1}\tilde{x}_{i,f+1|f} + \mu_{i,f+1}) \right. \\
& \quad \left. \cdot (-\varepsilon_{i,f+1} + C_{i,f+1}\tilde{x}_{i,f+1|f} + \mu_{i,f+1})^T\right\} \\
& \leq (1 + \varphi_{11} + \varphi_{12})C_{i,f+1}\Gamma_{i,f+1|f}C_{i,f+1}^T + (1 + \varphi_{11}^{-1} \\
& \quad + \varphi_{13})\Delta_{i,f+1}^{(1)}I + (1 + \varphi_{12}^{-1} + \varphi_{13}^{-1})R_{i,f+1} \\
& \leq \Delta_{i,f+1}^{(2)}, \quad (29)
\end{aligned}$$

where φ_{11} , φ_{12} , and φ_{13} are positive scalars. By substituting inequality (29) into inequality (28), we have

$$\begin{aligned}
& \mathbb{E}\{\pi_{i,f+1}\pi_{i,f+1}^T\} \\
& \leq \left(\gamma_i\bar{\pi}_{i,f} + \text{tr}\left(Z_i\Delta_{i,f+1}^{(2)}\right)\right) \sum_{j=1}^m \frac{1}{\rho_i^{(j)}}I \quad (30) \\
& \leq \Delta_{i,f+1}^{(3)}I.
\end{aligned}$$

According to inequalities (27) and (30), we have

$$\begin{aligned}
& \Gamma_{i,f+1|f+1} \\
& \leq (1 + \varphi_6 + \varphi_7 + \varphi_8)(I - G_{i,f+1}A_{i,f+1}C_{i,f+1}) \\
& \quad \cdot \Gamma_{i,f+1|f}(I - G_{i,f+1}A_{i,f+1}C_{i,f+1})^T + (1 + \varphi_6^{-1} \\
& \quad + \varphi_9 + \varphi_{10})\Delta_{i,f+1}^{(1)}G_{i,f+1}A_{i,f+1}A_{i,f+1}^T G_{i,f+1}^T \\
& \quad + (1 + \varphi_7^{-1} + \varphi_9^{-1})\Delta_{i,f+1}^{(3)}G_{i,f+1}(A_{i,f+1} - I) \\
& \quad \cdot (A_{i,f+1} - I)^T G_{i,f+1}^T + (1 + \varphi_8^{-1} + \varphi_{10}^{-1}) \\
& \quad \cdot G_{i,f+1}A_{i,f+1}R_{i,f+1}A_{i,f+1}^T G_{i,f+1}^T. \quad (31)
\end{aligned}$$

Based on the induction method, Eqs. (16) and (17), and inequalities (25) and (31), it can be inferred that $\Gamma_{i,f+1|f+1} \leq \bar{\Gamma}_{i,f+1|f+1}$.

To proceed, the minimized UB on the FEC will be derived. Specifically, let $\frac{\partial \text{tr}(\bar{\Gamma}_{i,f+1|f+1})}{\partial G_{i,f+1}} = 0$, and then the local filter gain is derived and depicted in Eq. (21). Consequently, the proof is complete.

3.2 Fusion filtering method

In what follows, we aim to construct FF and FEC for the considered nonlinear SSs. Note that the local expressions of the cross-covariance on the estimation error cannot be deduced easily; the ICI fusion method described in Noack et al. (2017) is adopted, which uses only the UBs of the estimation error covariance from each processor.

In accordance with the local filter $\hat{x}_{i,f|f}$ and its UB $\bar{\Gamma}_{i,f|f}$ ($i = 1, 2, \dots, \kappa$), the recursive forms concerning the ICI-based FF $\hat{x}_{f|f}^{\text{ICI}}$ and its covariance $\bar{\Gamma}_{f|f}^{\text{ICI}}$ are shown as follows:

$$\hat{x}_{f|f}^{\text{ICI}} = \sum_{i=1}^{\kappa} \Pi_{i,f|f}^{\text{ICI}} \hat{x}_{i,f|f}, \quad (32)$$

$$\bar{\Gamma}_{f|f}^{\text{ICI}} = \left[\sum_{i=1}^{\kappa} \bar{\Gamma}_{i,f|f}^{-1} - \left(\sum_{i=1}^{\kappa} d_i \bar{\Gamma}_{i,f|f} \right)^{-1} \right]^{-1}, \quad (33)$$

where $d_i \in [0, 1]$ denote the weighted coefficients and satisfy $\sum_{i=1}^{\kappa} d_i = 1$. The fusion parameters $\Pi_{i,f|f}^{\text{ICI}}$ are computed by

$$\Pi_{i,f|f}^{\text{ICI}} = \bar{\Gamma}_{f|f}^{\text{ICI}} \left[\bar{\Gamma}_{i,f|f}^{-1} - d_i \left(\sum_{i=1}^{\kappa} d_i \bar{\Gamma}_{i,f|f} \right)^{-1} \right]. \quad (34)$$

In addition, the DFF algorithm can be transformed into the following optimization problem:

$$\min_{d_i} \left\{ \text{tr}(\bar{\Gamma}_{f|f}^{\text{ICI}}) \right\} \quad \text{s.t.} \quad \sum_{i=1}^{\kappa} d_i = 1, \quad d_i \in [0, 1]. \quad (35)$$

By using the optimization toolbox from MATLAB[®], we can derive the solution of problem (35).

In the sequel, we will test the developed fusion algorithm in view of the ICI fusion rule, and the following theorem is presented:

Theorem 3 For the multi-sensor SSs (1) and (2) with local known UBs on the FEC, the ICI-based fusion method in Eqs. (32)–(34) holds and satisfies the following condition:

$$P_{f|f}^{\text{ICI}} = \mathbb{E} \left\{ (x_f - \hat{x}_{f|f}^{\text{ICI}})(x_f - \hat{x}_{f|f}^{\text{ICI}})^T \right\} \leq \bar{\Gamma}_{f|f}^{\text{ICI}}. \quad (36)$$

Proof For each sensor node, we have the results that $\bar{I}_{i,f|f} \leq \bar{I}_{i,f+1|f}$ ($i = 1, 2, \dots, \kappa$). The proof is easily checked, and the details are omitted for brevity.

To facilitate implementation, the procedure of the DETS-based DFF (DETSBDF) algorithm is given in Algorithm 1.

Algorithm 1 DETSBDF

- Step 1 : Let $f = 0$ and initialize the parameters
 Step 2 : Compute $\hat{x}_{i,f+1|f}$ according to Eq. (10)
 Step 3 : Compute $\bar{I}_{i,f+1|f}$ by Eq. (18)
 Step 4 : Derive the filter gain $G_{i,f+1}$ by Eq. (21)
 Step 5 : Compute $\hat{x}_{i,f+1|f+1}$ based on Eq. (11)
 Step 6 : Obtain $\bar{I}_{i,f+1|f+1}$ via Eq. (19)
 Step 7 : Obtain the fusion estimate $\hat{x}_{f|f}^{\text{ICI}}$ by Eq. (32)
 Step 8 : Compute the fusion FEC $\bar{I}_{f|f}^{\text{ICI}}$ from Eq. (33)
 Step 9 : Let $f = f + 1$ and return to step 2
-

4 Boundedness analysis

In this section, we discuss the performance with respect to the designed DFF algorithm. A sufficient condition that can guarantee the uniform boundedness of the filtering error in the mean-square sense is presented. To handle this case, the following assumption is needed:

Assumption 6 For any sensor i ($i = 1, 2, \dots, \kappa$) and time f , there exist positive numbers $\bar{a}, \bar{b}, \bar{c}, \bar{r}, \bar{r}, \bar{u}, \bar{n}, \bar{q}, \bar{\delta}, \bar{\delta}, \bar{\lambda}, \bar{\lambda}, \bar{z}$, and $\bar{\rho}$ such that the following conditions hold:

$$\begin{aligned} A_f A_f^T &\leq \bar{a}I, B_f B_f^T \leq \bar{b}I, C_{i,f} C_{i,f}^T \leq \bar{c}I, \\ rI &\leq R_{i,f} \leq \bar{r}I, UU^T \leq \bar{u}I, Q_f \leq \bar{q}I, \\ V_{i,f} V_{i,f}^T &\leq \bar{n}I, \bar{\delta} \leq \Delta_{i,f}^{(1)} \leq \bar{\delta}, \bar{\lambda} \leq A_{i,f} A_{i,f}^T \leq \bar{\lambda}, \\ \gamma_i &< 1, Z_i \leq \bar{z}I, \rho_i^{(j)} \geq \bar{\rho}. \end{aligned}$$

Furthermore, some notations are given as

$$\begin{aligned} \theta' &\triangleq (1 + \varphi_0)w_1\bar{c} + (1 + \varphi_0^{-1})\bar{r}, \\ \check{\chi} &\triangleq (1 + \varphi_1 + \varphi_2)\bar{\chi}\bar{a} + (1 + \varphi_1^{-1} + \varphi_3) \\ &\quad \cdot n\bar{\chi}\alpha^2\bar{u} + (1 + \varphi_2^{-1} + \varphi_3^{-1} + \varphi_4 \\ &\quad + \varphi_5)\theta'\bar{n} + (1 + \varphi_4^{-1})\bar{q}\bar{b} + (1 + \varphi_5^{-1})\bar{r}\bar{n}, \\ \bar{\Delta}^{(2)} &\triangleq (1 + \varphi_{11} + \varphi_{12})\check{\chi}\bar{c} + (1 + \varphi_{11}^{-1} + \varphi_{13})\bar{\delta} \\ &\quad + (1 + \varphi_{12}^{-1} + \varphi_{13}^{-1})\bar{r}, \\ \bar{\Delta}^{(3)} &\triangleq m[\bar{\pi}_{i,0} + (f + 1)m\bar{z}\bar{\Delta}^{(2)}]/\bar{\rho}, \end{aligned}$$

$$\begin{aligned} \bar{g} &\triangleq \frac{(1 + \varphi_6 + \varphi_7 + \varphi_8)^2 \check{\chi}^2 \bar{\lambda} \bar{c}}{[(1 + \varphi_8^{-1} + \varphi_{10}^{-1})\bar{r}\bar{\lambda}]^2}, \\ \chi' &\triangleq 2(1 + \varphi_6 + \varphi_7 + \varphi_8)\check{\chi}(1 + \bar{c}\bar{\lambda}\bar{g}) \\ &\quad + (1 + \varphi_6^{-1} + \varphi_9 + \varphi_{10})\bar{\delta}\bar{\lambda}\bar{g} \\ &\quad + (1 + \varphi_7^{-1} + \varphi_9^{-1})\bar{\Delta}^{(3)}(1 + \bar{\lambda})^2\bar{g} \\ &\quad + (1 + \varphi_8^{-1} + \varphi_{10}^{-1})\bar{r}\bar{\lambda}\bar{g}. \end{aligned}$$

(37)

To proceed, the other scalars φ_{q_1} ($q_1 = 0, 1, \dots, 13$) are considered as fixed values for any time. Based on Assumption 6, a sufficient condition is presented in the following theorem, which can ensure that the filtering error is uniformly bounded in the mean-square sense:

Theorem 4 Consider the time-varying multi-sensor SSs depicted in Eqs. (1) and (2). Under Assumption 6 and notations (37), if the inequality condition $\chi' \leq \bar{\chi}$ holds with the initial condition $\bar{I}_{i,0|0} \leq \bar{\chi}I$, then $\bar{I}_{i,f+1|f+1} \leq \bar{\chi}I$ holds for any f .

Proof This theorem can be readily checked by using the mathematical induction approach, and its proof is omitted for the sake of conciseness.

Remark 4 It is easy to deduce that $\mathbb{E}\{\tilde{x}_{i,f|f}\tilde{x}_{i,f|f}^T\} \leq \bar{\chi}I$. It follows from the Schur complement lemma that we can obtain $\mathbb{E}\{\|\tilde{x}_{i,f|f}\|^2\} \leq \bar{\chi}$. Then, the uniform boundedness regarding the filtering error in the mean-square sense is verified.

5 An illustrative example

In this section, a simulation example is presented to show the usefulness of the proposed DFF algorithm.

We consider a time-varying nonlinear SS with three sensors, and its parameters are given as

$$\begin{aligned} K &= \begin{bmatrix} 0 & 0 \\ 0 & 1 \end{bmatrix}, B'_f = \begin{bmatrix} 0.1125 + 0.001\cos(0.15f) \\ 0.22 + 0.01\sin(0.15f) \end{bmatrix}, \\ A'_f &= \begin{bmatrix} 0.734 + 0.01\sin(0.15f) & 0 \\ 0.7551 + 0.01\cos(0.15f) & \sigma \end{bmatrix}, \\ C_{1,f} &= [0.431 \quad 0.395], C_{2,f} = [0.441 \quad 0.462], \\ C_{3,f} &= [0.5441 \quad 0.455], U = \begin{bmatrix} 0.01 & -0.9165 \\ 0.01 & 1 \end{bmatrix}, \\ V_{1,f} &= \begin{bmatrix} 2.33 \\ 0.01 \end{bmatrix}, V_{2,f} = \begin{bmatrix} 2.2776 \\ 0.01 \end{bmatrix}, \\ V_{3,f} &= \begin{bmatrix} 1.8478 \\ 0.01 \end{bmatrix}, \sigma = 0.333 + 0.01\cos(0.1f). \end{aligned}$$

The nonlinear function is $h'(x_f) = [0 \ 0.172\sin(x_{2,f})]^T$, where the system state is $x_f = [x_{1,f} \ x_{2,f}]^T$, and the constant is chosen as $\alpha = 0.172$ according to inequality (3).

In the simulation, we select the initial values $\bar{x}_0 = \hat{x}_{i,0|0} = [-0.78 \ -0.78]^T$ and $P_0 = \bar{\Gamma}_{i,0|0} = 2I_2$. The system noises are zero means and their variances are taken as $Q_f = 0.1$, $R_{1,f} = 0.151$, $R_{2,f} = 0.21$, and $R_{3,f} = 0.122$. The other parameters are chosen as $w_1 = 2$, $a_{i,f} = b_{i,f} = 0.1$ ($i = 1, 2, 3$), and $\varphi_{q_1} = 0.1$ ($q_1 = 0, 1, \dots, 13$). Considering the DETS and adaptive saturation constraint condition, the relevant parameters are taken as $\phi_{i,0} = 1$, $\varrho_1 = 0.46$, $\varrho_2 = 0.51$, $\varrho_3 = 0.41$, $\beta_i = 15$, $\xi_i = 0.1$, $\gamma_i = 0.45$, $\bar{\pi}_{i,0} = 0.5$, $\rho_i^{(1)} = 5$, $\Lambda_{i,f} = 1$, and $Z_i = 0.1$ ($i = 1, 2, 3$). Furthermore, the outlier depicted by the zero-mean noise with variance 10 is taken into account in the simulation, and we assume that the time period of the appeared outliers is $T = 5$.

According to the above parameters, the simulation results are shown in Figs. 2–8. Fig. 2 shows the curves of the actual state and its fusion filtering. Fig. 3 displays the logarithm of mean square errors (MSEs) with respect to the FF and three local filters. Fig. 4 plots the curves of the logarithm of UB traces on the fusion FEC and local FEC. It can be seen that the performance of the FF is better than those of the other local filters. Accordingly, it is easy to see that the curves of $\log(\text{MSEs})$ always stay below their UBs.

To further verify the validity of the proposed approach, the curves of $\log(\text{MSEs})$ of the FF with or without the adaptive saturation condition are shown in Fig. 5. Fig. 6 displays the curves of $\log(\text{MSEs})$ of the FF when the variances of the outlier are chosen as 10 and 20; i.e., in case 1, the variance of the outlier is 10 and in case 2, the variance of the outlier is 20. Furthermore, to demonstrate the impact of the measurement outlier on the UB of the FEC, Fig. 7 shows the curves of the logarithm of UB traces on the fusion FEC in the above two cases. It can be seen that the UBs become slightly larger with the increase of the outlier variance, and hence the presented approach can further mitigate the influence of outliers on estimation performance. According to comparison results from Figs. 5–7, we see that the presented approach with the outlier-




Fig. 2 Actual state and fusion filtering: (a) the first state component; (b) the second state component




Fig. 3 Log(MSEs) of the fusion filter and three local filters: (a) the first state component; (b) the second state component




Fig. 4 Logarithm of UB traces of the fusion filter and three local filters: (a) the first state component; (b) the second state component

resistant method performs better than the approach without the outlier-resistant method. In addition, to compare the effect of the DETS with that of the




Fig. 5 Log(MSEs) of the fusion filter with or without adaptive saturation condition: (a) the first state component; (b) the second state component




Fig. 6 Log(MSEs) of the fusion filter in two cases: (a) the first state component; (b) the second state component

SETS, Fig. 8 shows the triggering instants of each node under the DETS and SETS. As expected, it is easy to see that the DETS can further reduce the communication burden. In view of the above results, the provided DFF algorithm is effective.

6 Conclusions

In this paper, the outlier-resistant DFF issue has been tackled for a class of multi-sensor nonlinear SSSs with measurement outliers and a DETS. In view of the stochastic analysis method, a local UB with respect to the FEC has been deduced, and the filter gain has been computed by minimizing the trace of the obtained UB. On the basis of the local filters and their UBs, the outlier-resistant fusion filtering approach has been implemented using the ICI fusion




Fig. 7 Logarithm of UB traces of the fusion filter in two cases: (a) the first state component; (b) the second state component




Fig. 8 Event-triggered time of each node under the DETS (a) and SETS (b)

method. In addition, a sufficient condition that can ensure the boundedness of the filtering error has been presented. Furthermore, the potential research work includes the extension of the main results to handle other communication scheduling strategies, such as the try-once-discard strategy and encoding–decoding strategy (Shen et al., 2021; Zou et al., 2021; Jiang et al., 2022).

Contributors

Jun HU designed the research. Zhibin HU drafted the paper and performed the simulation example. Cai CHEN, Hongjian LIU, and Xiaojian YI helped organize the paper. Jun HU revised and finalized the paper.

Compliance with ethics guidelines

All the authors declare that they have no conflict of interest.

References

- Alessandri A, Zaccarian L, 2018. Stubborn state observers for linear time-invariant systems. *Automatica*, 88:1-9. <https://doi.org/10.1016/j.automatica.2017.10.022>
- Cai LJ, Chang XH, 2023. Reduced-order filtering for discrete-time singular systems under fading channels. *Int J Syst Sci*, 54(1):99-112. <https://doi.org/10.1080/00207721.2022.2104401>
- Chen XM, Xu ZB, Shang L, 2023. Satellite Internet of Things: challenges, solutions, and development trends. *Front Inform Technol Electron Eng*, 24(7):935-944. <https://doi.org/10.1631/FITEE.2200648>
- Dai LY, 1989. Singular Control Systems. Springer, Heidelberg, Germany.
- Dou YF, Ran CJ, 2019. WMF self-tuning Kalman estimators for multisensor singular system. *Int J Syst Sci*, 50(10):1873-1888. <https://doi.org/10.1080/00207721.2019.1645234>
- Ge XH, Xiao SY, Han QL, et al., 2022. Dynamic event-triggered scheduling and platooning control co-design for automated vehicles over vehicular ad-hoc networks. *IEEE/CAA J Autom Sin*, 9(1):31-46. <https://doi.org/10.1109/JAS.2021.1004060>
- Ge XH, Han QL, Wu Q, et al., 2023a. Resilient and safe platooning control of connected automated vehicles against intermittent denial-of-service attacks. *IEEE/CAA J Autom Sin*, 10(5):1234-1251. <https://doi.org/10.1109/JAS.2022.105845>
- Ge XH, Han QL, Zhang XM, et al., 2023b. Communication resource-efficient vehicle platooning control with various spacing policies. *IEEE/CAA J Autom Sin*, early access. <https://doi.org/10.1109/JAS.2023.123507>
- Girard A, 2015. Dynamic triggering mechanisms for event-triggered control. *IEEE Trans Autom Contr*, 60(7):1992-1997. <https://doi.org/10.1109/TAC.2014.2366855>
- Hajmohammadi R, Mobayen S, 2019. An efficient observer design method for singular discrete-time systems with time delays and nonlinearity: LMI approach. *Sci Iran*, 26(3):1690-1699. <https://doi.org/10.24200/sci.2017.4383>
- Hu J, Wang C, Caballero-Águila R, et al., 2023a. Distributed optimal fusion filtering for singular systems with random transmission delays and packet dropout compensations. *Commun Nonl Sci Numer Simul*, 119:107093. <https://doi.org/10.1016/j.cnsns.2023.107093>
- Hu J, Hu ZB, Caballero-Águila R, et al., 2023b. Distributed resilient fusion filtering for nonlinear systems with multiple missing measurements via dynamic event-triggered mechanism. *Inform Sci*, 637:118950. <https://doi.org/10.1016/j.ins.2023.118950>
- Hu J, Li JX, Yan HC, et al., 2023c. Optimized distributed filtering for saturated systems with amplify-and-forward relays over sensor networks: a dynamic event-triggered approach. *IEEE Trans Neur Netw Learn Syst*, early access. <https://doi.org/10.1109/TNNLS.2023.3308192>
- Hu J, Li JX, Liu GP, et al., 2023d. Optimized distributed filtering for time-varying saturated stochastic systems with energy harvesting sensors over sensor networks. *IEEE Trans Signal Inform Process Netw*, 9:412-426. <https://doi.org/10.1109/TSIPN.2023.3288301>
- Jiang B, Gao HY, Han F, et al., 2021. Recursive filtering for nonlinear systems subject to measurement outliers. *Sci China Inform Sci*, 64(7):172206. <https://doi.org/10.1007/s11432-020-3135-y>
- Jiang B, Shen YX, Dong HL, et al., 2022. Dynamic event-based recursive filtering for networked systems under the encoding-decoding mechanism. *J Franklin Inst*, 359(12):6503-6522. <https://doi.org/10.1016/j.jfranklin.2022.05.026>
- Jin H, Sun SL, 2022. Distributed filtering for multi-sensor systems with missing data. *Inform Fusion*, 86-87:116-135. <https://doi.org/10.1016/j.inffus.2022.06.007>
- Ju YM, Ding DR, He X, et al., 2022. Consensus control of multi-agent systems using fault-estimation-in-the-loop: dynamic event-triggered case. *IEEE/CAA J Autom Sin*, 9(8):1440-1451. <https://doi.org/10.1109/JAS.2021.1004386>
- Li JX, Hu J, Cheng J, et al., 2022. Distributed filtering for time-varying state-saturated systems with packet disorders: an event-triggered case. *Appl Math Comput*, 434:127411. <https://doi.org/10.1016/j.amc.2022.127411>
- Li Q, Shen B, Wang ZD, et al., 2020. Recursive distributed filtering over sensor networks on Gilbert–Elliott channels: a dynamic event-triggered approach. *Automatica*, 113:108681. <https://doi.org/10.1016/j.automatica.2019.108681>
- Li XG, Feng S, Hou N, et al., 2022. Surface microseismic data denoising based on sparse autoencoder and Kalman filter. *Syst Sci Contr Eng*, 10(1):616-628. <https://doi.org/10.1080/21642583.2022.2087786>
- Ma L, Wang ZD, Cai CX, et al., 2020. Dynamic event-triggered state estimation for discrete-time singularly perturbed systems with distributed time-delays. *IEEE Trans Syst Man Cybern Syst*, 50(9):3258-3268. <https://doi.org/10.1109/TSMC.2018.2876203>
- Ma LF, Wang ZD, Hu J, et al., 2021. Probability-guaranteed envelope-constrained filtering for nonlinear systems subject to measurement outliers. *IEEE Trans Autom Contr*, 66(7):3274-3281. <https://doi.org/10.1109/TAC.2020.3016767>

- Meng XY, Chen Y, Ma LF, et al., 2022. Protocol-based variance-constrained distributed secure filtering with measurement censoring. *Int J Syst Sci*, 53(15):3322-3338. <https://doi.org/10.1080/00207721.2022.2080297>
- Nikoukhah R, Willisky AS, Levy BC, 1992. Kalman filtering and Riccati equation for descriptor systems. *IEEE Trans Autom Contr*, 37(9):1325-1342. <https://doi.org/10.1109/9.159570>
- Ning BD, Han QL, Zuo ZY, et al., 2023. Fixed-time and prescribed-time consensus control of multiagent systems and its applications: a survey of recent trends and methodologies. *IEEE Trans Ind Inform*, 19(2):1121-1135. <https://doi.org/10.1109/TII.2022.3201589>
- Noack B, Sijts J, Reinhardt M, et al., 2017. Decentralized data fusion with inverse covariance intersection. *Automatica*, 79:35-41. <https://doi.org/10.1016/j.automatica.2017.01.019>
- Shen YX, Wang ZD, Shen B, et al., 2021. Outlier-resistant recursive filtering for multisensor multirate networked systems under weighted try-once-discard protocol. *IEEE Trans Cybern*, 51(10):4897-4908. <https://doi.org/10.1109/TCYB.2020.3021194>
- Sun JB, Zhang CJ, Gu J, 2012. Decentralized optimal fusion filtering for multi-sensor multi-delay singular systems. *Circ Syst Signal Process*, 31(1):163-176. <https://doi.org/10.1007/s00034-011-9313-x>
- Sun SL, Ma J, 2007. Optimal filtering and smoothing for discrete-time stochastic singular systems. *Signal Process*, 87(1):189-201. <https://doi.org/10.1016/j.sigpro.2006.05.007>
- Sun Y, Tian X, Wei GL, 2022. Finite-time distributed resilient state estimation subject to hybrid cyber-attacks: a new dynamic event-triggered case. *Int J Syst Sci*, 53(13):2832-2844. <https://doi.org/10.1080/00207721.2022.2083256>
- Tan HL, Shen B, Liu YR, et al., 2017. Event-triggered multi-rate fusion estimation for uncertain system with stochastic nonlinearities and colored measurement noises. *Inform Fusion*, 36:313-320. <https://doi.org/10.1016/j.inffus.2016.12.003>
- Wang X, Sun SL, 2017. Optimal recursive estimation for networked descriptor systems with packet dropouts, multiplicative noises and correlated noises. *Aerosp Sci Technol*, 63:41-53. <https://doi.org/10.1016/j.ast.2016.11.025>
- Wang XL, Sun Y, Ding DR, 2022. Adaptive dynamic programming for networked control systems under communication constraints: a survey of trends and techniques. *Int J Netw Dyn Intell*, 1(1):85-98. <https://doi.org/10.53941/ijndi0101008>
- Wang YZ, Wang ZD, Zou L, et al., 2022. H_∞ proportional-integral state estimation for T-S fuzzy systems over randomly delayed redundant channels with partly known probabilities. *IEEE Trans Cybern*, 52(10):9951-9963. <https://doi.org/10.1109/TCYB.2020.3036364>
- Wen PY, Li XR, Hou N, et al., 2022. Distributed recursive fault estimation with binary encoding schemes over sensor networks. *Syst Sci Contr Eng*, 10(1):417-427. <https://doi.org/10.1080/21642583.2022.2063203>
- Xie ML, Ding DR, Ge XH, et al., 2022. Distributed platooning control of automated vehicles subject to replay attacks based on proportional integral observers. *IEEE/CAA J Autom Sin*, early access. <https://doi.org/10.1109/JAS.2022.105941>
- Yao F, Ding YL, Hong SG, et al., 2022. A survey on evolved LoRa-based communication technologies for emerging Internet of Things applications. *Int J Netw Dyn Intell*, 1(1):4-19. <https://doi.org/10.53941/ijndi0101002>
- Zhan DZ, Wang ST, Cai SG, 2023. Acoustic localization with multi-layer isogradient sound speed profile using TDOA and FDOA. *Front Inform Technol Electron Eng*, 24(1):164-175. <https://doi.org/10.1631/FITEE.2100398>
- Zhang XM, Han QL, Ge XH, et al., 2023. Sampled-data control systems with non-uniform sampling: a survey of methods and trends. *Annu Rev Contr*, 55:70-91. <https://doi.org/10.1016/j.arcontrol.2023.03.004>
- Zhao D, Wang ZD, Han QL, et al., 2022. Proportional-integral observer design for uncertain time-delay systems subject to deception attacks: an outlier-resistant approach. *IEEE Trans Syst Man Cybern Syst*, 52(8):5152-5164. <https://doi.org/10.1109/TSMC.2021.3117742>
- Zou L, Wang ZD, Hu J, et al., 2021. Communication-protocol-based analysis and synthesis of networked systems: progress, prospects and challenges. *Int J Syst Sci*, 52(14):3013-3034. <https://doi.org/10.1080/00207721.2021.1917721>
- Zou L, Wang ZD, Hu J, et al., 2022. Ultimately bounded filtering subject to impulsive measurement outliers. *IEEE Trans Autom Contr*, 67(1):304-319. <https://doi.org/10.1109/TAC.2021.3081256>