

Zhangpeng TU, Yuanchao ZHU, Xin WU, Canjun YANG, 2025. A unified shared control architecture for underwater vehicle–manipulator systems using task priority. *Frontiers of Information Technology & Electronic Engineering*, 26(8):1411-1427. <https://doi.org/10.1631/FITEE.2400471>

A unified shared control architecture for underwater vehicle–manipulator systems using task priority

Key words: Unified shared control; Underwater vehicle–manipulator system; Human–robot interaction; Task priority

Canjun YANG


E-mail: ycj@zju.edu.cn

 ORCID: <https://orcid.org/0000-0002-3712-0538>

Underwater exploration

- With proliferation of ocean exploration, underwater vehicle–manipulator systems (UVMSs) have become essential for underwater operations.

Fully-autonomous



GIRONA 500^[1]




Aquanaut^[2]

Semi-autonomous




SAUVIM^[3]



Cuttlefish^[4]




DexROV^[5]




Ocean One^[6]

Tendency and challenges

- ❑ Fully automated control is still inadequate for complex and delicate operations in open and unstructured underwater environments. Underwater operations continue to require **human intervention**.
- ❑ Shared control (**SC**)^[7] leverages human high-level cognition and decision-making while integrating robotic capabilities for low-level task execution.
- ❑ Shared control methods are typically classified into divisible shared control (**DSC**) and interactive shared control (**ISC**)^[8]. A comprehensive shared control method is proposed for UVMS to effectively improve work efficiency and reduce operational burden.




Divisible shared control




Interactive shared control

Motivation

- ❑ The study introduces a **unified shared control** (USC) architecture that combines DSC and ISC for the UVMS based on task priority^[9] to further alleviate the operator's control workload.
- ❑ Methods are developed to reduce the operator's burden, including an **input fusion** method that incorporates human intention and a **motion distribution** scheme. Additionally, a **haptic feedback** guidance function is developed, and the **posture** of the UVMS is optimized based on operator inputs.



(1) Unified shared control architecture



- ❑ This study deploys three control objectives: constraint, operation, and posture optimization tasks. **Task priority** serves as a DSC redundant control method.









$$u = \underbrace{(u_c)}_{\text{constraint}} + \underbrace{(u_{t|c})}_{\text{operation}} + \underbrace{(u_{p|t|c})}_{\text{posture}}$$

- ❑ A linear ISC-based approach is integrated into the operational task to combine the human input and robot input.

$$u_s = \lambda u_r + (1 - \lambda) u_h$$





(2) Simulation

- ❑ Compared to manual control (MC), USC can effectively reduce **RMSE**, improve task completion **efficiency**, and reduce **operator input** and **cognitive burden**.
- ❑ While autonomous control (AC) offers advantages in execution efficiency, USC stands out as a more **reliable** option due to human intervention.



(3) Experiments

- Similar to the simulations, USC reduces task completion time, operator input, and cognitive burden compared to MC and PSC^[10].
- NASA-TLX^[11] **subjective** measurements indicate that increased automation reduces task load, with operator ratings following the order of USC > PSC > MC.



(4) Summary

- ❑ This study presents a **USC** architecture for UVMSs, which incorporates task priority. The approach combines DSC and ISC, establishing a **hierarchical** relationship among subtasks based on their priority. A haptic feedback system is designed to assist the operator in completing tasks.
- ❑ A simulated object-grasping experiment is conducted to verify the effectiveness of the proposed method in comparison with AC and MC methods. Compared to MC, the completion time, operator input length, and cognitive load are reduced by **17.50%**, **25.00%**, and **35.53%**, respectively.
- ❑ Based on the objective and NASA-TLX subjective evaluation results from the pool experiment, the proposed method outperforms both MC and PSC. The method reduces completion time, operator input length, and cognitive load by **22.73%**, **40.00%**, and **29.91%**, respectively, compared to MC.

Future outlook

UVMS shared control research	Outlook
Human–robot interface	• Digital twin human–robot interface • Multisensory feedback for operators • VR and AR tangible environment
Robot perception	• Operator intent perception • Multimodal perception fusion • Environmental perception
Intelligent decision-making	• Learning skills from human operations • More effective guidelines for resolving human–robot conflicts • Learning operator preferences to adapt to operators with different styles and providing personalized operation services

Reference

- [1] Ribas D, Ridao P, Turetta A, et al., 2015. I-AUV mechatronics integration for the TRIDENT FP7 project. *IEEE/ASME Trans Mechatron*, 20(5):2583-2592.
- [2] Manley JE, Halpin S, Radford N, et al., 2018. Aquanaut: a new tool for subsea inspection and intervention. Proc OCEANS MTS/IEEE Charleston, p.1-4.
- [3] Marani G, Choi SK, Yuh J, 2009. Underwater autonomous manipulation for intervention missions AUVs. *Ocean Eng*, 36(1):15-23.
- [4] Christensen L, Hilljegerdes J, Zipper M, et al., 2022. The hydrobatic dual-arm intervention AUV cuttlefish. OCEANS 2022, p.1-8.
- [5] Di Lillo P, Simetti E, Wanderlingh F, et al., 2020. Underwater intervention with remote supervision via satellite communication: developed control architecture and experimental results within the DexROV project. *IEEE Trans Contr Systems Technol*, 29(1):108-123.
- [6] Khatib O, Yeh X, Brantner G, et al., 2016. Ocean One: a robotic avatar for oceanic discovery. *IEEE Robot Autom Mag*, 23(4):20-29.
- [7] Yang CJ, Zhu YC, Chen YH, 2022. A review of human–machine cooperation in the robotics domain. *IEEE Trans Hum Mach Syst*, 52(1):12-25.
- [8] Samuel CMT, Tee KP, 2019. Unified human–robot shared control with application to haptic telemanipulation. Proc IEEE/RSJ Int Conf on Intelligent Robots and Systems, p.2221-2226.
- [9] Siciliano B, Slotine JJE, 1991. A general framework for managing multiple tasks in highly redundant robotic systems. Proc 5th Int Conf on Advanced Robotics, p.1211-1216.
- [10] Dragan AD, Srinivasa SS, 2013. A policy-blending formalism for shared control. *Int J Robot Res*, 32(7):790-805.
- [11] Hart SG, 2006. NASA-task load index (NASA-TLX); 20 years later. *Proc Hum Factors Ergon Soc Annu Meet*, 50(9):904-908.



Zhangpeng TU received his B.S. degree in mechanical engineering from East China University of Science and Technology, China, in 2020. He is currently pursuing the Ph.D. degree at the State Key Laboratory of Fluid Power and Mechatronic Systems, Zhejiang University, Hangzhou, China. His research interests include robot manipulation, robot control, and robot learning.



Yuanchao ZHU received his B.S. degree in mechanical engineering and automation from Chongqing University, Chongqing, China, in 2017. He is currently pursuing the Ph.D. degree in mechatronic engineering at the State Key Laboratory of Fluid Power and Mechatronic Systems, Zhejiang University. His research interests include human–robot interaction, motion retargeting, and shared control.



Xin WU received his B.S. degree in mechatronic engineering from Zhejiang University, in 2019. He is currently a Ph.D. candidate in mechatronic engineering at the State Key Laboratory of Fluid Power and Mechatronic Systems, Zhejiang University. His Research interests include underwater humanoid robots, compliant mechanisms, and fluid dynamics.



Canjun YANG received his B.S. and M.S. degrees in mechanical engineering from Nanjing University of Aeronautics and Astronautics, Nanjing, China, in 1991 and 1994, respectively, and the Ph.D. degree in mechanical engineering from Zhejiang University in 1997. He is currently a professor in the Institute of Mechatronic and Control Engineering, Zhejiang University. His research interests include man-machine intelligent system, mechatronic devices, and their applications to deep-sea exploitation and exploration.