

Lvhan PAN, Guodao SUN, Baofeng CHANG, Wang XIA, Qi JIANG, Jingwei TANG, Ronghua LIANG, 2023. Visual interactive image clustering: a target-independent approach for configuration optimization in machine vision measurement. *Frontiers of Information Technology & Electronic Engineering*, 24(3):355-372. <https://doi.org/10.1631/FITEE.2200547>

## **Visual interactive image clustering: a target-independent approach for configuration optimization in machine vision measurement**

**Key words:** Machine vision measurement; Lighting scheme design; Parameter optimization; Visual interactive image clustering

Corresponding author: Guodao SUN

E-mail: [guodao@zjut.edu.cn](mailto:guodao@zjut.edu.cn)



ORCID: <https://orcid.org/0000-0002-8383-8153>

# Motivation

1. **Machine vision measurement (MVM)** is an essential approach for product quality control in industry, especially in manufacturing and process industries.
2. The result of MVM is determined by its configuration, especially the **lighting scheme design** in image acquisition and the **algorithmic parameter optimization** in image processing.
3. In a traditional workflow, engineers **constantly adjust and verify the configuration of MVM** for an acceptable result, which is time-consuming and significantly depends on expertise.

# Method





Fig. 1 Pipeline of visual interactive image clustering: (a) data preparation; (b) data sampling; (c) data processing; (d) visual analysis with our visualization system

# Method (Cont'd)

Sample interesting algorithmic parameters for all images under different lighting schemes (data sampling).



# Method (Cont'd)

**Weighted Jaccard index (WJI)** using algorithmic parameters to measure the relationship among images (data processing).

$$\text{WJI}(P_i, P_j) = \frac{\sum_e f^e}{\sum_{e'} f^{e'}}, \quad (1)$$

where

$$\begin{cases} e \in P_i \cap P_j, \\ e' \in P_i \cup P_j. \end{cases} \quad (2)$$

# Method (Cont'd)





Fig. 3 System interface: (a) detail view provides basic information about the sampled data; (b) cluster view shows the clustering result with multi-layer bubbles as identification; (c) correlation view uses a matrix-based line chart to present the correlation between two parameters; (d) intersection view presents the intersection process of selected parameter sets (References to color refer to the online version of this figure)

# Conclusions

1. We propose **an explainable measurement** to assess the relationships among images using algorithmic parameters.
2. We propose **a target-independent approach**, visual interactive image clustering, which is based on parameter sampling and visualization to facilitate configuration optimization in MVM.
3. We present VMExplorer, **a visual analytics system** with coordinated views, which supports the configuration exploration of images and parameters.



Guodao SUN is an associate professor at the College of Computer Science and Technology, Zhejiang University of Technology, Hangzhou, China. He received his PhD degree in control science and engineering from Zhejiang University of Technology, Hangzhou, China, in 2016. He is interested in exploring large data using interactive visual analytics with focus on data such as urban data, social data, and video data.