Binkun LIU, Yu KANG, Yang CAO, Yunbo ZHAO, Zhenyi XU, 2025. Transfer learning with a spatiotemporal graph convolution network for city flow prediction. *Front Inform Technol Electron Eng*, 26(1):79-92.
https://doi.org/10.1631/FITEE.2300571

Transfer learning with a spatiotemporal graph convolution network for city flow prediction

Key words: Transfer learning; City flow prediction; Spatiotemporal graph convolution

Corresponding authors: Yang CAO; Zhenyi XU
E-mail: forrest@ustc.edu.cn; xuzhenyi@mail.ustc.edu.cn
ORCID: https://orcid.org/0000-0002-2891-4379
https://orcid.org/0000-0002-5804-882X

Motivation

Previous studies on transfer learning prediction of city flow usually employ the parameter sharing scheme. The source and target domain cities are usually split into grids or subgraphs of the same size, which makes it difficult to express the natural non-Euclidean geometrical features of city flows and thus reduces the prediction accuracy.



Fig. 1 Different transfer prediction strategies

Main idea

- To address the difficulty that there are differences in the structures of road networks in different cities, we propose a transfer learning method based on spatiotemporal graph convolution network (TL-STGCN).
- Considering that city flows are related to road networks and human travel habits, we design a dynamic spatiotemporal graph convolution module and a spatiotemporal encoder to explore cross-city invariant representations.

Method



Dynamic adjacency matrix (DAM) explores the similarity of spatial structures and improves the adaptation of global spatial dependency information.

Temporal encoder encodes the time points to obtain the effect of time points on the city flow.

Transfer learning loss can be described as

$$\mathcal{L}_{\mathrm{MD}} = \frac{1}{NT} \sum_{n=1}^{N} \sum_{t=1}^{T} \sum_{c=1}^{C} \left(\boldsymbol{H}_{n,t,c}^{\mathrm{s}} - \boldsymbol{H}_{n,t,c}^{\mathrm{t}} \right) \cdot \boldsymbol{M}' \left(\boldsymbol{H}_{n,t,c}^{\mathrm{s}} - \boldsymbol{H}_{n,t,c}^{\mathrm{t}} \right)^{\mathrm{T}},$$

Results

Heatmap of bike flow prediction in a day from Chicago to Washington at 0:00 a.m. (a), 8:00 a.m. (b), 12:00 a.m. (c), from Washington to Chicago at 0:00 a.m. (d), 8:00 a.m. (e), 12:00 a.m. (f)



(a) (b) (c)



(d) (e) (f)

Conclusions

We propose TL-STGCN that can use data-rich source domains to help data-poor target domains improve the prediction performance. We project the spatiotemporal data of the source and target domains into a common feature space through nonlinear mapping, minimize the distribution difference between the source and target domains, and achieve knowledge transfer from the source domain to the target domain. Finally, we conduct experiments with real bike flow data from Chicago, New York, and Washington. Experimental results show that our proposed method is better than baselines. In the future, we will extend TL-STGCN to other spatiotemporal transfer prediction problems, such as exhaust gas prediction, air quality index prediction, and people flow prediction.

Binkun LIU is currently pursuing his PhD degree at the University of Science and Technology of China. He received his BE degree from Hefei University of Technology in 2019. His research interests include machine learning and artificial intelligence.

Yun KANG received the Dr. Eng. degree in control theory and control engineering from the University of Science and Technology of China, Hefei, China, in 2005. From 2005 to 2007, he was a post-doctoral fellow with the Academy of Mathematics and Systems Science, Chinese Academy of Sciences, Beijing, China. He is currently a professor with the Department of Automation, University of Science and Technology of China. His current research interests include adaptive/robust control, variable structure control, and Markovian jump systems.

Yang CAO received the B.S. and Ph.D. degrees in information engineering from Northeastern University, Shenyang, China, in 1999 and 2004, respectively. Since 2004, he has been with the Department of Automation, University of Science and Technology of China, Hefei, China, where he is currently an associate professor. He is a member of the IEEE Signal Processing Society. His current research interests include machine learning and computer vision.

Yunbo ZHAO (Senior Member, IEEE) received the B.Sc. degree in mathematics from Shandong University, Jinan, China, in 2003, the M.Sc. degree in systems sciences from the Key Laboratory of Systems and Control, Chinese Academy of Sciences, Beijing, China, in 2007, and the Ph.D. degree in control engineering from the University of South Wales, Pontypridd, U.K., in 2008. He is currently a professor with the Department of Automation, University of Science and Technology of China, and also with the Institute of Artificial Intelligence, Hefei Comprehensive National Science Center, Hefei, China. He has authored or coauthored more than 100 research articles as well as two English monographs on networked intelligent control and one Chinese monograph on human–machine autonomy. His current research interests include AI-driven control and automation, specifically, AI-driven networked intelligent control, AI-driven human–machine autonomy, and AI-driven machine gaming.



Zhenyi XU received the Ph.D. degree in control science and engineering from the Department of Automation, University of Science and Technology of China, Hefei, China, in 2020. He is currently an associate research fellow with the Institute of Artificial Intelligence, Hefei Comprehensive National Science Center (Anhui Artificial Intelligence Laboratory). His research interests are deep learning, urban computing, intelligent transportation, machine learning, and data mining.