

Yonghua QUAN, Zhong TIAN, Zhengchuan CHEN, Min WANG, Yunjian JIA, 2023. Max-min rate optimization for multi-user MISO-OFDM systems assisted by RIS with a wideband model. *Frontiers of Information Technology & Electronic Engineering*, 24(12):1763-1775. <https://doi.org/10.1631/FITEE.2300120>

Max-min rate optimization for multi-user MISO-OFDM systems assisted by RIS with a wideband model

Key words: Reconfigurable intelligent surface; Max-min rate; Coalition-game subcarrier allocation

Corresponding authors: Zhong TIAN, Zhengchuan CHEN

E-mail: ztian@cqu.edu.cn; czc@cqu.edu.cn

 ORCID: <https://orcid.org/0000-0003-3176-7290>;

<https://orcid.org/0000-0002-2289-5621>

Motivation


1. Reconfigurable intelligent surfaces (RISs) have the capability to change the wireless environment smartly. Each RIS element has different response characteristics corresponding to the incident signal of varying frequencies due to the limitation of hardware circuit. The design of such practical RIS models is often complex.
2. RIS's flexible control of the wireless channel environment makes it better to deal with the problem of interference suppression. The rate requirements of users can be effectively guaranteed in RIS assisted communication. Therefore, we have some interest in the research on the role of RIS in user fairness.

Main idea

1. We study the joint design of transmit precoding (TPC) matrices and RIS passive beamforming with subcarrier allocation to maximize the minimum rate of dense users with an approximate practical RIS model.
2. We propose a coalition-game algorithm (CSA) to allocate subcarriers for dense users, which can decouple subcarrier allocation from other optimized variables.
3. We design TPC matrices and RIS passive beamforming based on the fractional programming (FP) method. The overall problem is transformed into several subproblems, which can be solved by alternate optimization (AO) to obtain a locally optimal solution.

System model

Considering user fairness, we focus on the problem of maximizing the minimum rate of dense users for multi-user (MU) MISO-OFDM downlink communication assisted by RIS with an approximate practical model.



A RIS-aided MU-MISO-OFDM downlink communication system

Method

1. Subcarrier allocation based on a coalition-game


$$c_{n,k} = \begin{cases} 1, & \text{for } k \in \mathcal{S}_n, \\ 0, & \text{otherwise.} \end{cases} \quad u(\mathcal{S}_n) = \sum_{k \in \mathcal{S}_n} \|\mathbf{h}_k \mathbf{T}_k\|_2^2,$$

2. TPC matrce design

$$\begin{aligned} & \max_{\mathbf{W}, R} R \\ & \text{s.t. } R_k^w(\mathbf{w}_k) \geq R, \quad \forall k \in \mathcal{K}, \\ & \sum_{n=1}^N \sum_{k=1}^K c_{n,k} \|\mathbf{w}_{n,k}\|_2^2 \leq P, \end{aligned}$$

3. Passive RIS design


$$\begin{aligned} & \text{find } \phi \\ & \text{s.t. } R_k^\phi(\phi) \geq R, \quad \forall k \in \mathcal{K}, \\ & \phi_{n,m} = g(\theta_m, f_n), \forall n \in \mathcal{N}, \forall m \in \mathcal{M}. \end{aligned}$$




To address the challenges that RIS passive beamforming needs to accommodate the fairness of dense users at all subcarriers and subcarrier allocation, we propose a novel AO framework.

Major results

The max-min rate of our proposed RIS-CSA method approaches the upper bound (RIS-Slack) closely.



Minimum rate of users versus P



Minimum rate of users versus K

Conclusions

1. The spatial degrees of freedom in the system were improved by optimizing RIS passive beamforming. This indicated that deploying RIS simultaneously improves the spectral efficiency for all subcarriers while considering user fairness.
2. The hybrid iterative AO method including CSA and RIS design provides a potential solution for max-min rate enhancement in the MU-MISO-OFDM system.



Yonghua QUAN received his BE degree in electronics and information engineering from Guangxi Normal University, China, in 2020. He is currently pursuing the PhD degree in information and communication engineering at Chongqing University, China. His research interests include wireless communications with multi-input multi-output and orthogonal frequency division multiplexing, and reconfigurable intelligent surface.



Zhong TIAN received his BS and PhD degrees in information and communications engineering from Tsinghua University, Beijing, China, in 2014 and 2019, respectively. From July 2019 to November 2020, he was a researcher with Beijing Laboratory, Research and Development Center China, Sony Ltd., Shanghai, China, where he engaged in research and development on wireless communications and contributed to 5G NR standardization in 3GPP. He is currently an assistant professor with School of Microelectronics and Communication Engineering, Chongqing University, Chongqing, China. His research interests include reconfigurable intelligent surface assisted communications, spectrum sharing, nonorthogonal multiple access, massive machine-type communications, and age of information.



Zhengchuan CHEN received his BS degree from Nankai University, China, in 2010 and his PhD degree from Tsinghua University, China, in 2015. He visited The Chinese University of Hong Kong in 2012 and University of Florida, USA, in 2013. From 2015 to 2017, he was a postdoctoral fellow in the Information Systems Technology and Design Pillar, Singapore University of Technology and Design (SUTD). He is currently an assistant professor with School of Microelectronics and Communication Engineering, Chongqing University, China. He serves as an editor of *Dig Commun Networks*. He has also served several IEEE conferences, e.g., IEEE Globecom, as a technical program committee member. He was selected as an exemplary reviewer of *IEEE Trans Commun* in 2015. He co-received the Best Paper Award at the International Workshop on High Mobility Wireless Communications in 2013. His main research interests include 5G and beyond wireless communications, age of information, and network information theory.



Min WANG received her BS degree from School of Physical Electronics, University of Electronic Science and Technology of China, Chengdu, China, in 2014, and her PhD degree from Department of Electronic Engineering, Tsinghua University, Beijing, China, in 2019. Since 2019, she has been with School of Optoelectronics Engineering, Chongqing University of Posts and Telecommunications, Chongqing, China. Her current research interests include transmitarray and reflectarray antennas, reconfigurable antennas, millimeterwave antennas, and arrays and metasurfaces analysis for B5G wireless communications.



Yunjian JIA received his BS degree from Nankai University, China, and his ME and PhD degrees in Engineering from Osaka University, Japan, in 1999, 2003, and 2006, respectively. From 2006 to 2012, he was a researcher with Central Research Laboratory, Hitachi, Ltd., where he engaged in research and development on wireless networks, and contributed to LTE and LTE Advanced standardization in 3GPP. He is now a professor with School of Microelectronics and Communication Engineering, Chongqing University, China. He has published more than 90 published papers, and has been granted 40 patents. His research interests include future radio access technologies, mobile networks, and IoT.