



Review:

FinBrain: when finance meets AI 2.0*

Xiao-lin ZHENG^{†‡1}, Meng-ying ZHU¹, Qi-bing LI¹, Chao-chao CHEN², Yan-chao TAN¹

¹Department of Computer Science, Zhejiang University, Hangzhou 310027, China

²AI Department, Ant Financial Services Group, Hangzhou 310027, China

[†]E-mail: xlzheng@zju.edu.cn

Received Dec. 12, 2017; Revision accepted May 25, 2018; Crosschecked July 22, 2019

Abstract: Artificial intelligence (AI) is the core technology of technological revolution and industrial transformation. As one of the new intelligent needs in the AI 2.0 era, financial intelligence has elicited much attention from the academia and industry. In our current dynamic capital market, financial intelligence demonstrates a fast and accurate machine learning capability to handle complex data and has gradually acquired the potential to become a “financial brain.” In this paper, we survey existing studies on financial intelligence. First, we describe the concept of financial intelligence and elaborate on its position in the financial technology field. Second, we introduce the development of financial intelligence and review state-of-the-art techniques in wealth management, risk management, financial security, financial consulting, and blockchain. Finally, we propose a research framework called FinBrain and summarize four open issues, namely, explainable financial agents and causality, perception and prediction under uncertainty, risk-sensitive and robust decision-making, and multi-agent game and mechanism design. We believe that these research directions can lay the foundation for the development of AI 2.0 in the finance field.

Key words: Artificial intelligence; Financial intelligence
<https://doi.org/10.1631/FITEE.1700822>

CLC number: TP391

1 Introduction

Artificial intelligence (AI), the core technology of new technological revolution and industrial transformation, is transcending the traditional means of simulating human intelligence by a computer, such as man-machine gaming, machine identification, and natural language processing. Consequently, a new generation of AI, namely, AI 2.0, has emerged. Pan (2016) defined AI 2.0 as a new generation of AI based on the novel information environment of major changes and the development of new goals. As one of the new intelligent needs, financial intelligence is a highly suitable application setting for AI 2.0.

AI 2.0 as a core technology is an important driving force for the development and transformation of the financial industry. Technology-driven financial upgrading can be divided into three stages (Table 1). The first stage is Fintech 1.0. At this stage, computers can be used to replace manual calculation and accounting books to improve the efficiency of financial operations. The second stage is Fintech 2.0, which is also called “Internet finance.” At this stage, technology is a force for financial revolution and provides emerging Internet enterprises with the opportunity to use Internet technology to connect the supply and demand for financial products and services. Internet finance becomes an effective supplement to traditional finance. The third stage is Fintech 3.0, which is also known as intelligent finance or smart finance. At this stage, financial technology integrates the Internet, finance, and big data to achieve intelligent and accurate calculation responsibility and to lead the overall change in the financial industry through big data, blockchain, cloud computing, AI, and other emerging technologies.

[‡] Corresponding author

* Project supported by the National Natural Science Foundation of China (No. U1509221), the National Key Technology R&D Program of China (No. 2015BAH07F01), and the Zhejiang Provincial Key R&D Program, China (No. 2017C03044)

ORCID: Xiao-lin ZHENG, <http://orcid.org/0000-0001-5483-0366>

© Zhejiang University and Springer-Verlag GmbH Germany, part of Springer Nature 2019

Table 1 Main stages of technology-driven financial industry development

Development stage	Driving technology	Main landscape	Inclusive finance	Relationship between technology and finance
Fintech 1.0 (financial IT)	Computer	Credit card, ATM, and CRMS	Low	Technology as a tool
Fintech 2.0 (Internet finance)	Mobile Internet	Marketplace lending, third-party payment, crowdfunding, and Internet insurance	Medium	Technology-driven change
Fintech 3.0 (financial intelligence)	Big data, blockchain, cloud computing, AI, etc.	Intelligent finance	High	Deep fusion

Financial intelligence has a fast and accurate machine learning capability to achieve intellectualization, standardization, and automation of large-scale business transactions. Thus, it can improve service efficiency and reduce costs. For example, AI technology combined with big data can integrate long-tail markets and mitigate information asymmetry to improve the efficiency of fund allocation and financial risk management. Moreover, identity recognition and natural language processing technology can allow machines to replace laborers, realize all-around perception, and provide interactive services to customers. By combining financial intelligence with the new generation of AI, we can construct a “financial brain” that offers inclusive financial services to meet the financial needs of ordinary people. This stage has the following three important characteristics:

1. Rich usage scenarios

Many financial applications, such as investment, lending, credit, security, insurance, and customer service, are inseparable from the support of AI technology.

2. Highly structural business data

Compared with other industries, the financial service industry produces large amounts of structural data and thus has the advantage of developing AI technology.

3. Meeting the requirements of inclusive finance

Traditional professional financial services often have a high threshold; thus, the financial needs of ordinary people are not well met. The financial threshold can be significantly reduced by the effectiveness of credit assessment technology, and improved services can be provided to people. Hence, everyone can enjoy a fair opportunity to achieve inclusive finance.

The main purpose of this study is to explore the

potential of constructing a “financial brain” in the forthcoming era of AI 2.0. To achieve this aim, we briefly review the state-of-the-art advances in different areas, including wealth management, risk management, financial security, financial consulting, and blockchain. We propose a financial research framework called FinBrain and discuss several emerging open issues from the technical perspective to thoroughly understand challenges and future directions.

2 Research and application

In this section, we briefly review the recent progress in different areas of financial intelligence to demonstrate that AI technology can improve service efficiency and reduce costs.

2.1 Wealth management

The need to provide individuals with wealth-management services has emerged recently. Examples of such services include Robo-Advisor, financial product recommendation, and precision marketing that can help maintain good customer experience while mitigating risks and improving individuals’ decision-making capabilities. Most wealth managers use simple rule-based analytics based on reporting systems that cannot effectively characterize customers’ preferences (Bahrammirzaee, 2010). The new generation of AI 2.0 shows a remarkable potential to provide enhanced wealth-management services via user profiling, predictive analytics (Ding et al., 2015; Salinas et al., 2017), the Internet of Things (IoT) intelligence (Dineshreddy and Gangadharan, 2016), and customized recommendations (Zhao et al., 2014; Zhang et al., 2017). For example, smart agents can combine structured financial and unstructured

behavioral data to assess customers' investment style, risk tolerance, purchasing preferences, and develop optimized portfolios at low costs and high speeds. Furthermore, firms can use information from clients' IoT ecosystems to tailor investment decisions and asset allocations based on their individual behaviors, preferences, and locations. We describe below the recent development of two key wealth-management applications, namely, financial product recommendation and Robo-Advisor.

1. Financial product recommendation

The key to design a good recommendation system is to characterize the preferences of customers and construct personalized behavior models. Conventional recommendation approaches have been frequently combined with Markowitz's portfolio theory to achieve improved investment recommendations (Zhao et al., 2014, 2016). For example, Zhao et al. (2014) constructed a two-step decision-making platform for investment recommendation that considers what to buy and how much money to pay. Zhao et al. (2016) were the first to assess peer-to-peer (P2P) loans from a multi-objective perspective and recommend portfolios, such as non-default and winning-bid probabilities. They combined the static and dynamic features of bidding lenders into a gradient boosting decision tree (GBDT) framework. Recent state-of-the-art recommendation models adopt deep neural networks (DNNs) to effectively model highly complex rating functions (He et al., 2017) or exact high-order feature interactions (Guo et al., 2017), and they may open a new avenue of financial product recommendation based on deep learning.

2. Robo-Advisor

The core task of Robo-Advisor is to build an optimized portfolio for asset management using risk models, which helps decrease the cost of portfolio construction while improving quality. Several researchers have incorporated multi-armed bandits into the sequential decision-making process to achieve improved portfolio blending (Shen et al., 2015; Shen and Wang, 2016), in which online portfolio choice algorithms were developed, and the tradeoff between exploration and exploitation was further considered. Jiang et al. (2017) presented a financial reinforcement learning framework based on deterministic policy gradient to allocate portfolios continuously and maximize the investment return. In their work, an

environment state was represented by a price tensor that summed up the historic price data in the market, and the agent's action was represented by a continuous portfolio weight vector. Recently, Heaton et al. (2016b) employed deep learning models (e.g., auto-encoders and long short-term memory units) to form hierarchical decision models for portfolio construction and risk management that can reconstruct invisible nonlinear interactions. The authors proposed a deep portfolio theory that involves a four-step routine, namely, encoding, calibration, validation, and verification, to formulate an automated and general portfolio selection process. Predictive analysis (Ding et al., 2015; Salinas et al., 2017) is also critical when providing Robo-Advisor services because it offers an enhanced understanding of market trends and helps identify investment opportunities.

2.2 Risk management

Risk management includes identification, measurement, and control of financial risks. The traditional risk management process is highly complicated and relies on the experience of experts. However, with the combination of smart phones and Ecommerce, consumers are allowed to interact with merchants conveniently. The Internet is transitional to the IoT. Thus, traditional risk management cannot meet the financial needs of most people due to their high time, manpower costs, and low coverage. Meanwhile, AI technology combined with big data can help build robust credit systems, assess business risks under uncertainty, and achieve anti-fraud functions. For example, diversified data sources can be used to build a credit system based on the tree model (Yeh et al., 2012), neural network (Khashman, 2010; Abdou et al., 2016), and support vector machine model (Han et al., 2013). Moreover, businesses rely increasingly on AI technology for competitive advantages, and IoT provides risk managers abundant information for assessing and managing risks. For example, by using IoT data, such as mobile, household devices, and other sensing devices, banks can analyze geographical data and identify the real trading environments, so that they can alert the customer before someone swipes their credit card in a mall (Dineshreddy and Gangadharan, 2016). Hence, operations do not have to be reinvented. This feature provides organizations that are reliant on managing

risks with an indispensable tool. In the following, we will discuss the four latest key applications of risk management, namely, intelligent credit, risk assessment, fraud detection, and bankruptcy prediction.

1. Intelligent credit

Credit evaluation is the basis of risk management. Traditional financial credit information usually includes only strong financial attributes, such as credit, credit card, foreign exchange, private lending, and other financial transaction data. For example, Fair Isaac Corporation (FICO) selects indicators, such as the length of residence, job, length of service, debt-to-income ratio, and line of credit. Subsequently, it calculates the weighted average as the final score on the basis of expertise-based rules. Different from traditional credit information systems, intelligent credit systems, which integrate big data and AI, consider financial, government public service, life, and social data (Angelini et al., 2008). These systems break the data island and cover diversified data sources (Bahrammirzaee, 2010), and their corresponding models are more complex than traditional credit models (Hoofnagle, 2014). In addition, deep learning (Ha and Nguyen, 2016) is an effective method to manage high-dimensional credit characteristic data. ZestFinance is a credit evaluation system based on machine learning. It accesses large amounts of data from thousands of data items and tens of thousands of variables, establishes numerous credit risk prediction sub-models, and integrates these models into learning to obtain comprehensive credit scores. Zhima Credit combines the models of logistic regression, neural network, and decision tree, and considers five aspects: personal identity, interpersonal relationship, credit record history, behavioral preference, and individual performance ability. We compare the above three personal credit scoring systems in Table 2.

2. Risk assessment

Compared with traditional approaches that rely heavily on the availability of rich financial information and the experience of experts, AI technology can automatically identify hidden patterns through heterogeneous data sources and can thus achieve improved user profiling when assessing risks. For example, node2vec (Grover and Leskovec, 2016) and struc2vec (Ribeiro et al., 2017) can effectively learn the latent representations of a node's structural identity. Risk assessment systems can further integrate the learnt latent representations into GBDT or DNNs to understand the relational network that involves merchants, consumers, investors, and borrowers. Zhou et al. (2017) designed KunPeng, a universal distributed platform for large-scale machine learning. KunPeng provides risk estimation for Alibaba's Double 11 online shopping festival and Ant Financial's transactions. Khandani et al. (2010) constructed a machine-learning forecasting model to estimate consumer credit risks, namely, credit-card-holder delinquencies and defaults, and further demonstrated that aggregated consumer-credit risk analytics may have important applications in forecasting systemic risks.

3. Fraud detection

Fraud detection involves monitoring the behavior of populations of users to estimate, detect, or avoid undesirable behaviors. Undesirable behaviors usually entail fraud, money laundering, cheating, and account defaulting. Outlier detection is the conventional technology for fraud detection. Bolton and Hand (2001) proposed an unsupervised credit card fraud detection method that incorporates other information (other than simply the amount spent) into the anomaly detection process. Neural networks can also be adopted in fraud detection. Aleskerov et al. (1997) presented a database mining system called

Table 2 Comparison of three personal credit rating systems

Term	Traditional credit evaluation	Credit evaluation based on machine learning	
Representative enterprise	FICO	ZestFinance	Zhima Credit
Service user	Rich credit records	Lack or absence of credit records	Internet user
Data content	Financial data	Financial data, life data	Financial data, life data, and social data
Data sources	Bank	Data from third parties and data provided by users	Data from third parties or provided by users
Model	Logistic regression	Machine learning	Logistic regression, neural network, and decision tree

CARDWATCH for credit card fraud detection. CARDWATCH uses a simple neural network to process current spending patterns and detect possible undesirable behaviors. Zhou et al. (2018) used GBDT to resolve fraud detection within bankcard enrollment in mobile device payments. Rushin et al. (2017) compared the performance of different methods in fraud detection and concluded that deep learning is the most accurate technique in predicting credit card fraud, followed by GBDT and logistic regression (LR).

4. Bankruptcy prediction

Bankruptcy prediction is the art of forecasting bankruptcy and various measures of financial distress of public firms. Bankruptcy prediction is relevant to creditors and investors in evaluating the likelihood that a firm may become bankrupt. Numerous accounting ratios that might indicate danger can be calculated, and other potential explanatory variables are available. Many studies on bankruptcy and insolvency prediction compared various approaches, modeling techniques, and individual models to ascertain whether any one technique is superior to its counterparts. For example, Min et al. (2006) applied support vector machine (SVM) and the genetic algorithm (GA) to the problem of bankruptcy prediction. Kumar and Ravi (2007) presented a comprehensive review of research on statistical and intelligent techniques to solve the bankruptcy prediction problem faced by banks and firms. Olson et al. (2012) used various data mining tools to acquire bankruptcy data with the purpose of comparing accuracy and the number of rules.

2.3 Financial identity authentication

Identity authentication is the key to ensure financial information security. Identifying users through recognition, image recognition, voice print recognition, and optical character recognition (OCR) technology would significantly reduce checking costs and improve user experience. Identity authentication is a complete confirmation process used for the relationship between an entity and its identity in the network world. Government and private organizations use different biological characteristics to automate human recognition (Kedia and Monga, 2017).

In the banking industry, existing applications include identity verification, face withdrawals, and

face recognition payments (Wang et al., 2017). On September 1, Alipay's "face pay" system went online at KFC's KPRO restaurant. The system allows users to pay by brushing their faces and is the first commercial use of face recognition technology. It adopts EyePrint ID technology in payment scenarios and can thus overcome light, expression, makeup, age, and even cosmetic technical barriers based on cameras. The system can resist attacks. The new iPhone X uses Face ID to replace Touch ID for phone unlocking and payment certification. To further ensure financial security in the era of new technology, recognizing user identity and non-face hacks can be an important research area. SenseTime's unique face biometric detection technology can effectively prevent various non-face hacks and accurately determine the current validator for the user, rather than using other non-positive photos or videos, to ensure user information security.

Many studies have been conducted on unconstrained face recognition using deep learning technology, such as DeepFace (Taigman et al., 2014) and DeepID (Sun et al., 2014b). Sun et al. (2014a) demonstrated that deep learning provides a powerful tool for undertaking the main challenges in face recognition, including reducing the internal differences and expanding the differences among people. Kuang et al. (2015) implemented automatic facial age estimation with a deep convolutional neural network (CNN) by fusing random forest and quadratic regression with local adjustment.

2.4 Smart financial consulting

Recent developments on speech recognition and natural language processing enable machine-to-human communication via interactive smart Q&A interfaces (e.g., chatbot systems such as Eliza, Siri, XiaoIce, and Cortana) (Etzioni, 2011; Shum et al., 2018), and enhance service experience while reducing costs. Generally, chatbot systems can analyze customers' goals and are highly responsive to customers with personalized advice or tailored answers, such as investment policies and portfolio strategies. The core tasks in designing a smart Q&A system can be roughly divided into five procedures: (1) speech recognition and synthesis; (2) named entity recognition and query intention understanding; (3) sentiment analysis and user profiling; (4) knowledge-based

question answering (KB-QA); (5) dialogue management and generation. In this study, we review the state-of-the-art approaches on (4) and (5).

1. KB-QA

Existing approaches for KB-QA use learnable components to either transform the question into a structured KB query via semantic parsing (Berant et al., 2013; Yih et al., 2015) or embed questions and facts in a low-dimensional vector space and retrieve the answer by computing similarities (Bordes et al., 2014; Dong et al., 2015). For example, Yih et al. (2015) initially defined a query graph that transforms semantic parsing into query graph generation with staged states and actions and then used a deep CNN to perform semantic matching. A current trend in the literature involves the utilization of memory networks (MemNNs) (Bordes et al., 2015) and attention mechanisms (Andreas et al., 2016; Zhang et al., 2016) to perform KB-QA. Bordes et al. (2015) presented a MemNN-based QA system that stores facts from KBs via a memory component and performs generalization and inference in the memory. Zhang et al. (2016) employed an attention model to represent questions dynamically according to different answer aspects and integrated the global KB information into the representation of the answers to alleviate the out-of-vocabulary problem. Moreover, Andreas et al. (2016) proposed a dynamic neural module network that uses a collection of compositional, attentional modules to leverage the best aspects of conventional logical forms and continuous representations.

2. Dialogue management and generation

Practical dialogue systems consist of a natural language understanding module, a natural language generation module, and a dialogue management module with state trackers and dialogue policy that tracks the state evolution and chooses an action given the current state. Traditional dialogue systems use a set of pre-programmed rules and thus cannot cope with non-stationary user behaviors (Li et al., 2016). Hence, reinforcement learning (Graves et al., 2016), in which policies are learned automatically from experience and evolve from interactions with users, offers an appealing alternative (Dhingra et al., 2016, Li JW et al., 2017; Li XJ et al., 2017). Dhingra et al. (2016) presented an end-to-end RL-based dialogue agent called KB-infoBot to perform knowledge-based accessing, dialogue state tracking, and policy learning

under a multi-turn setting. KB-infoBot showed great promise when applied to a goal-oriented task. Moreover, Li XJ et al. (2017) presented a task-completion dialogue system to complete a task (e.g., movie ticket booking). The open domain dialogue generation problem was considered by Li JW et al. (2017), who aimed to generate meaningful and coherent dialogue responses. An adversarial dialogue generation system was proposed in their work, and RL was applied to jointly train two subsystems: a generator to produce response sequences and a discriminator to distinguish between the human-generated dialogues and the machine-generated ones.

2.5 Blockchain

Although the big data era has arrived, data are often mastered in different institutions. Data ownership, data security, and credit intermediaries thus become barriers to data sharing. A new generation of Internet technology is required to solve the problem of information decentralization. Hence, blockchain was introduced. The concept of blockchain was proposed by Nakamoto (2009). Blockchain, which underpins bitcoin, is a digital currency supported by cryptographic methods (a “cryptocurrency”) and is a distributed, publicly available, and immutable ledger. In finance, blockchain has broad application prospects in digital currency, payment and settlement, intelligent contracts, and financial transactions. Typical applications include bitcoin, litecoin, and other electronic currencies, more secure and open distributed accounting systems, and payment and settlement systems. Consensus mechanisms and security guarantees are important components of blockchain technology.

1. Consensus mechanism of blockchain

Reaching a consensus efficiently in a distributed system and ensuring the security of transaction data are important research issues. Ethereum, the first Turing-complete decentralized smart contract system (Buterin, 2014), uses proof of work (PoW) to ensure the consistency of distributed bookkeeping. However, PoW relies heavily on computing power and consumes extensive resources. Researchers have recently proposed various consensus mechanisms, such as proof of stake (PoS) and Algorand. PoS (Reed, 2014), also known as equity proof, changes the computing power of PoW to the system rights and interests. The

larger the equity is, the greater the probability of becoming the next bookkeeper is. The algorithmic consensus algorithm proposed by Micali (2016) can solve the problem of having too many nodes in public chains.

2. Security in blockchain

Security issues have always been the focus of blockchain technology. The PoW mechanism faces 51% attacks. The PoS mechanism solves the problem of 51% attacks to a certain extent but introduces nothing at the stake (N@S) attack problem (Rosenfeld, 2014). At present, no ideal solution is available for all types of attacks, and further research breakthroughs are needed.

3 FinBrain framework and open issues

In this section, we present FinBrain, a research framework, and discuss several emerging issues.

3.1 FinBrain

Despite the research efforts devoted to financial intelligence, further progress is still needed to develop a more advanced technology that meets the requirements of inclusive finance. We envision that future finance based on AI 2.0 is a finance of AI, where AI agents will become more rational than people when

making decisions, and a multi-agent system of AIs will be the core component of financial transactions.

Accordingly, we propose a research framework called FinBrain and further discuss several emerging open issues in Section 3.2. The overall research structure includes three main layers: (1) financial big data; (2) algorithms and models; (3) products and services (Fig. 1). The financial big data layer focuses on multi-source heterogeneous information processing, such as combining the structural financial report data and unstructured behavioral data of financial users via a knowledge graph. Through an analysis of different financial scenarios, we can enhance the perception capability for further prediction. The algorithms and model layers aim to support different AI algorithms and models for financial intelligence, such as deep learning, reinforcement learning, and combinatorial optimization. Through a new generation of AI technology, we can further improve the decision-making capability and have the potential of constructing rational agents. The financial intelligence product and service layers typically includes five major financial application scenarios, which have been discussed in Section 2.

3.2 Open issues

To realize FinBrain in the era of AI 2.0, we must address crucial issues from the technical perspective,




Fig. 1 FinBrain framework of the overall research structure

including (1) explainable financial agents and causality, (2) perception and prediction under uncertainty, (3) risk-sensitive and robust decision-making, and (4) multi-agent game and mechanism design. We believe that these open issues and future directions can lay the foundation for the development of AI 2.0 in the finance field. Fig. 2 shows the most common relationships among issues and applications and research topics. We describe these emerging issues in detail.




Fig. 2 A mapping from issues to applications and research topics

3.2.1 Explainable financial agents and causality

A key component of financial agents is the ability to provide explanations for their decisions, predictions, or recommendations. However, current models usually make black-box predictions but rarely explain the process of decision-making in a way that is meaningful to humans. We stress that explainable decisions are important to financial users. For example, investors require understanding before committing to decisions with inherent risks. In general, explainable agents should be able to identify the properties of the input (i.e., feature interactions) and are responsible for the particular decision and should be able to further capture the causal relations to answer counterfactual questions. The key to designing explainable agents is to provide causal inference to better understand the real-world environment and support interactive diagnostic analysis that faithfully replays a prediction against past perturbed inputs to measure feature importance. Module neural networks (Andreas et al., 2016) may be a suitable choice for supporting explainable decisions. These networks use dynamic attention mechanisms to form predictive network layouts from a collection of composable modules.

3.2.2 Perception and prediction under uncertainty

Given the dynamic nature of financial environments (e.g., fluctuations in financial markets), perception and prediction agents that provide financial insights and reveal what will happen next should be able to process incomplete information and capture temporal correlation patterns under uncertainty. To satisfy these requirements, agents must form inner-world models that represent comprehensive knowledge about the local environment by continuously perceiving multiple modalities and selectively integrating information from unstructured data sources. In particular, a memory mechanism (Bordes et al., 2015, Graves et al., 2016) with selective read/write heads and memory generalization operation can be employed to combine prior knowledge with temporal characteristics of sequences and thus allows knowledge evolution along with the dynamic changes in financial markets or user interests. Moreover, imagination-based reinforcement learning (Hamrick et al., 2017) that learns to optimize a sequence of imagined internal actions over predictive world models before executing them in the real world may be a good choice for safe prediction under complex nonlinear dynamics. We highlight that these intelligent perception and prediction methods should be applied to important financial applications, such as market monitoring, risk management, and identity authentication, to significantly improve their intelligent services.

3.2.3 Risk-sensitive and robust decision-making

In mission-critical applications, such as risk management and portfolio recommendation, an important requirement for financial agents is that they must be risk-sensitive and robust to uncertainty and errors when making decisions. In general, this issue should be considered from two perspectives. On one hand, we can build source-specific noise models that automatically track data provenance and learn to distinguish the impact of different data sources with confidence intervals (Stoica et al., 2017). On the other hand, we can construct risk-sensitive decision models that incorporate risk factors into loss functions and optimizers under the worst-case scenario. For example, instead of the standard risk-neutral Markov

decision process (MDP) based on expectation, Chow et al. (2015) proposed a conditional-value-at-risk (CVaR) MDP that minimizes a risk-sensitive CVaR objective to perform robust decision-making. To assess risks from intelligent adversaries (i.e., adversarial risks), such as competitors or terrorists, we can adopt the game-theoretic framework for adversarial learning to simulate the adversaries' strategies and enhance security. Counterterrorism modeling and generative adversarial networks (GANs) may be good choices in this case.

3.2.4 Multi-agent game and mechanism design

Financial markets involve assets, traders, online platforms, supply chains, and logistics, and they can be considered as multi-agent systems (MASs). Learning to play a multi-agent game is crucial in robust credit systems, supply chain management, dynamic asset pricing, and trading mechanism design. For example, to achieve dynamic pricing, we need to design an effective monetary incentive mechanism and capture the supply and demand dynamics in the real world. In ecommerce platforms, we can optimize different interests and explore the equilibrium state in the game of customers, merchants, and recommendation agents to balance platform revenues and user experiences. To this end, three challenges should be addressed. First, given scalability problems, a small number of agents are usually considered, and the scalability problems hinder the deployment in businesses that involve large-scale agents. Second, game-theoretic-based agents rely on the assumption of perfect rationality of individuals, which is difficult to apply to real-world scenarios. Lastly, cooperative actions and rewards must be quantified. Moreover, a profound discussion has been conducted on the future of economic AI, wherein AI agents engage in business transactions with other AI agents as well as with firms and people. Therefore, we must construct rational agents, called "machina economicus" (Parkes and Wellman, 2015), and design the rules of interaction for AI agents in this new economic system. For example, to elicit truthful reports and promote fair contributions, we can associate AI systems with a reputation to prevent the problems of moral hazard and adverse selection and further promote cooperativeness between AI systems when completing financial transactions.

4 Conclusions

With the aid of AI techniques, the financial industry has changed in all directions, such as diverse sources of information collection, intellectualization of risk pricing models, standardization of the investment decision-making process, automation of customer interaction services, and other financial core fields. These changes are based on two paths: one is to improve efficiency and the other is to reduce costs.

In this paper, we have reviewed extensive theoretical studies on industrial applications of financial intelligence in the AI 2.0 era. First, we described the concept of financial intelligence and elaborated on its position in the Fintech field. Second, we described several key applications. Finally, we proposed a framework of research called FinBrain and summarized four open issues. By presenting the approaches, applications, and future directions in the financial intelligence field, we drew attention to the state-of-the-art advancements and provided technical insights by discussing the challenges and research directions in these areas. We believed that AI 2.0 is bound to move financial services toward the direction of high efficiency and intelligence.

Compliance with ethics guidelines

Xiao-lin ZHENG, Meng-ying ZHU, Qi-bing LI, Chao-chao CHEN, and Yan-chao TAN declare that they have no conflict of interest.

References

- Abdou HA, Tsafack MDD, Ntim CG, et al., 2016. Predicting creditworthiness in retail banking with limited scoring data. *Knowl-Based Syst*, 103:89-103. <https://doi.org/10.1016/j.knosys.2016.03.023>
- Aleskerov E, Freisleben B, Rao B, 1997. CARDWATCH: a neural network based database mining system for credit card fraud detection. *Proc IEEE/IAFE Computational Intelligence for Financial Engineering*, p.220-226. <https://doi.org/10.1109/CIFER.1997.618940>
- Andreas J, Rohrbach M, Darrell T, et al., 2016. Learning to compose neural networks for question answering. <https://arxiv.org/abs/1601.01705>
- Angelini E, di Tollo G, Roli A, 2008. A neural network approach for credit risk evaluation. *Q Rev Econom Finan*, 48(4):733-755. <https://doi.org/10.1016/j.qref.2007.04.001>
- Bahrammirzaee A, 2010. A comparative survey of artificial intelligence applications in finance: artificial neural networks, expert system and hybrid intelligent systems.

- Neur Comput Appl*, 19(8):1165-1195.
<https://doi.org/10.1007/s00521-010-0362-z>
- Berant J, Chou A, Frostig R, et al., 2013. Semantic parsing on freebase from question-answer pairs. *Proc Conf on Empirical Methods in Natural Language Processing*, p.1533-1544.
- Bolton RJ, Hand DJ, 2001. Unsupervised profiling methods for fraud detection. *Proc Credit Scoring and Credit Control VII*, p.5-7.
- Bordes A, Chopra S, Weston J, 2014. Question answering with subgraph embeddings. <https://arxiv.org/abs/1406.3676>
- Bordes A, Usunier N, Chopra S, et al., 2015. Large-scale simple question answering with memory networks. <https://arxiv.org/abs/1506.02075>
- Buterin V, 2014. A Next Generation Smart Contract & Decentralized Application Platform. *Ethereum White Paper*.
- Chow Y, Tamar A, Mannor S, et al., 2015. Risk-sensitive and robust decision-making: a CVaR optimization approach. <https://arxiv.org/abs/1506.02188>
- Dhingra B, Li LH, Li XJ, et al., 2016. End-to-end reinforcement learning of dialogue agents for information access. <https://arxiv.org/abs/1609.00777>
- Dineshreddy V, Gangadharan GR, 2016. Towards an “Internet of Things” framework for financial services sector. *Proc 3rd Int Conf on Recent Advances in Information Technology*, p.177-181.
<https://doi.org/10.1109/RAIT.2016.7507897>
- Ding X, Zhang Y, Liu T, et al., 2015. Deep learning for event-driven stock prediction. *Proc 24th Int Conf on Artificial Intelligence*, p.2327-2333.
- Dong L, Wei FR, Zhou M, et al., 2015. Question answering over freebase with multi-column convolutional neural networks. *Proc 53rd Annual Meeting of the Association for Computational Linguistics and the 7th Int Joint Conf on Natural Language Processing*, p.260-269.
<https://doi.org/10.3115/v1/P15-1026>
- Etzioni O, 2011. Search needs a shake-up. *Nature*, 476(7358): 25-26. <https://doi.org/10.1038/476025a>
- Graves A, Wayne G, Reynolds M, et al., 2016. Hybrid computing using a neural network with dynamic external memory. *Nature*, 538(7626):471-476.
<https://doi.org/10.1038/nature20101>
- Grover A, Leskovec J, 2016. node2vec: scalable feature learning for networks. *Proc 22nd ACM SIGKDD Int Conf on Knowledge Discovery and Data Mining*, p.855-864.
<https://doi.org/10.1145/2939672.2939754>
- Guo HF, Tang RM, Ye YM, et al., 2017. DeepFM: a factorization-machine based neural network for CTR prediction. <https://arxiv.org/abs/1703.04247>
- Ha VS, Nguyen HN, 2016. Credit scoring with a feature selection approach based deep learning. *MATEC Web of Conf, Article 54*.
<https://doi.org/10.1051/mateconf/20165405004>
- Hamrick JB, Ballard AJ, Pascanu R, et al., 2017. Metacontrol for adaptive imagination-based optimization. <https://arxiv.org/abs/1705.02670>
- Han L, Han LY, Zhao HW, 2013. Orthogonal support vector machine for credit scoring. *Eng Appl Artif Intell*, 26(2): 848-862. <https://doi.org/10.1016/j.engappai.2012.10.005>
- He X, Liao L, Zhang H, et al., 2017. Neural collaborative filtering. *Proc 26th Int Conf on World Wide Web*, p.173-182.
- Heaton JB, Polson NG, Witte JH, 2016a. Deep learning in finance. <https://arxiv.org/abs/1602.06561>
- Heaton JB, Polson NG, Witte JH, 2016b. Deep portfolio theory. <https://arxiv.org/abs/1605.07230>
- Hoofnagle CJ, 2014. How the fair credit reporting act regulates big data. *Future of Privacy Forum Workshop on Big Data and Privacy: Making Ends Meet*.
- Jiang ZY, Xu DX, Liang JJ, 2017. A deep reinforcement learning framework for the financial portfolio management problem. <https://arxiv.org/abs/1706.10059>
- Kedia S, Monga EG, 2017. Static signature matching using LDA and artificial neural networks. *Int J Adv Res Ideas Innov Technol*, 3(3):245-248.
- Khandani AE, Kim AJ, Lo AW, 2010. Consumer credit-risk models via machine-learning algorithms. *J Bank Finan*, 34(11):2767-2787.
<https://doi.org/10.1016/j.jbankfin.2010.06.001>
- Khashman A, 2010. Neural networks for credit risk evaluation: investigation of different neural models and learning schemes. *Expert Syst Appl*, 37(9):6233-6239.
<https://doi.org/10.1016/j.eswa.2010.02.101>
- Kuang ZH, Huang C, Zhang W, 2015. Deeply learned rich coding for cross-dataset facial age estimation. *IEEE Int Conf on Computer Vision Workshop*, p.338-343.
<https://doi.org/10.1109/ICCVW.2015.52>
- Kumar PR, Ravi V, 2007. Bankruptcy prediction in banks and firms via statistical and intelligent techniques—a review. *Eur J Oper Res*, 180(1):1-28.
<https://doi.org/10.1016/j.ejor.2006.08.043>
- Li JW, Monroe W, Shi TL, et al., 2017. Adversarial learning for neural dialogue generation. <https://arxiv.org/abs/1701.06547>
- Li XJ, Lipton ZC, Dhingra B, et al., 2016. A user simulator for task-completion dialogues. <https://arxiv.org/abs/1612.05688>
- Li XJ, Chen YN, Li LH, et al., 2017. End-to-end task-completion neural dialogue systems. <https://arxiv.org/abs/1703.01008>
- Micali S, 2016. ALGORAND: the efficient and democratic ledger. <https://arxiv.org/abs/1607.01341>
- Min SH, Lee J, Han I, 2006. Hybrid genetic algorithms and support vector machines for bankruptcy prediction. *Expert Syst Appl*, 31(3):652-660.
<https://doi.org/10.1016/j.eswa.2005.09.070>
- Nakamoto S, 2009. Bitcoin: a Peer-to-Peer Electronic Cash System. *Bitcoin White Paper*.
- Olson DL, Delen D, Meng YY, 2012. Comparative analysis of data mining methods for bankruptcy prediction. *Dec Support Syst*, 52(2):464-473.
<https://doi.org/10.1016/j.dss.2011.10.007>

- Pan YH, 2016. Heading toward artificial intelligence 2.0. *Engineering*, 2(4):409-413. <https://doi.org/10.1016/J.ENG.2016.04.018>
- Parkes DC, Wellman MP, 2015. Economic reasoning and artificial intelligence. *Science*, 349(6245):267-272. <https://doi.org/10.1126/science.aaa8403>
- Reed SL, 2014. Bitcoin cooperative proof-of-stake. <https://arxiv.org/abs/1405.5741>
- Ribeiro LFR, Savarese PHP, Figueiredo DR, 2017. *struc2vec*: learning node representations from structural identity. <https://arxiv.org/abs/1704.03165>
- Rosenfeld M, 2014. Analysis of hashrate-based double spending. <https://arxiv.org/abs/1402.2009>
- Rushin G, Stancil C, Sun MY, et al., 2017. Horse race analysis in credit card fraud—deep learning, logistic regression, and gradient boosted tree. *Systems and Information Engineering Design Symp*, p.117-121. <https://doi.org/10.1109/SIEDS.2017.7937700>
- Salinas D, Gasthaus J, Flunkert V, 2017. DeepAR: probabilistic forecasting with autoregressive recurrent networks. <https://arxiv.org/abs/1704.04110>
- Shen WW, Wang J, 2016. Portfolio blending via Thompson sampling. *Proc 25th Int Joint Conf on Artificial Intelligence*, p.1983-1989.
- Shen WW, Wang J, Jiang YG, et al., 2015. Portfolio choices with orthogonal bandit learning. *Proc 24th Int Conf on Artificial Intelligence*, p.974-980.
- Shum HY, He XD, Li D, 2018. From Eliza to Xiaolce: challenges and opportunities with social chatbots. *Front Inform Technol Electron Eng*, 19(1):10-26. <https://doi.org/10.1631/FITEE.1700826>
- Stoica I, Song D, Popa RA, et al., 2017. A Berkeley view of systems challenges for AI. <https://arxiv.org/abs/1712.05855>
- Sun Y, Wang XG, Tang XO, 2014a. Deep learning face representation by joint identification-verification. <https://arxiv.org/abs/1406.4773>
- Sun Y, Wang XG, Tang XO, 2014b. Deep learning face representation from predicting 10,000 classes. *IEEE Conf on Computer Vision and Pattern Recognition*, p.1891-1898. <https://doi.org/10.1109/CVPR.2014.244>
- Taigman Y, Yang M, Ranzato M, et al., 2014. DeepFace: closing the gap to human-level performance in face verification. *IEEE Conf on Computer Vision and Pattern Recognition*, p.1701-1708. <https://doi.org/10.1109/CVPR.2014.220>
- Wang F, Zhou JY, Chen D, et al., 2017. Research on mobile commerce payment management based on the face biometric authentication. *Int J Mob Commun*, 15(3):278-305. <https://doi.org/10.1504/IJMC.2017.10003253>
- Yeh CC, Lin FY, Hsu CY, 2012. A hybrid KMV model, random forests and rough set theory approach for credit rating. *Knowl-Based Syst*, 33:166-172. <https://doi.org/10.1016/j.knosys.2012.04.004>
- Yih WT, Chang MW, He XD, et al., 2015. Semantic parsing via staged query graph generation: question answering with knowledge base. *Proc 53rd Meeting of the Association for Computational Linguistics and the 7th Int Joint Conf on Natural Language Processing*, p.1321-1331. <https://doi.org/10.3115/v1/P15-1128>
- Zhang S, Yao LN, Sun AX, et al., 2017. Deep learning based recommender system: a survey and new perspectives. *ACM Comput Surv*, 52(1), Article 5. <https://doi.org/10.1145/3285029>
- Zhang YZ, Liu K, He SZ, et al., 2016. Question answering over knowledge base with neural attention combining global knowledge information. <https://arxiv.org/abs/1606.00979>
- Zhao HK, Wu L, Liu Q, et al., 2014. Investment recommendation in P2P lending: a portfolio perspective with risk management. *IEEE Int Conf on Data Mining*, p.1109-1114. <https://doi.org/10.1109/ICDM.2014.104>
- Zhao HK, Liu Q, Wang GF, et al., 2016. Portfolio selections in P2P lending: a multi-objective perspective. *Proc 22nd ACM SIGKDD Int Conf on Knowledge Discovery and Data Mining*, p.2075-2084. <https://doi.org/10.1145/2939672.2939861>
- Zhou J, Li XL, Zhao PL, et al., 2017. KunPeng: parameter server based distributed learning systems and its applications in Alibaba and Ant Financial. *Proc 23rd ACM SIGKDD Int Conf on Knowledge Discovery and Data Mining*, p.1693-1702. <https://doi.org/10.1145/3097983.3098029>
- Zhou H, Chai HF, Qiu ML, 2018. Fraud detection within bankcard enrollment on mobile device based payment using machine learning. *Front Inform Technol Electron Eng*, 19(12):1537-1545. <https://doi.org/10.1631/FITEE.1800580>